



# HONG KONG

# ANNUAL REPORT

OF THE

# DIRECTOR OF MEDICAL SERVICES

FOR THE PERIOD

1ST JANUARY, 1948 TO 31ST MARCH, 1949.

RBB/40h



# HONG KONG


# ANNUAL REPORT

OF THE

# DIRECTOR OF MEDICAL SERVICES

FOR THE PERIOD

1ST JANUARY, 1948 TO 31ST MARCH, 1949.



# CONTENTS

I.	A DATALON	P	age
1.	Administration A. General		5
	R Roarda		5
	C. Staff		$\overline{6}$
	D. Legislation		7
II.	Public Health		
	General Remarks		8
III.	VITAL STATISTICS		
141	A. Population		9
	B. Births		10
	C. Deaths		11
	D. Infant Mortality		12
	E. Maternal Mortality		-13
	F. Principal Causes of Death		14
IV.	Hygiene & Sanitation		
	(i) General Measures		20
	(ii) Anti-Epidemic		22
	(iii) Health Propaganda		24
	(iv) Port Health Work		25
	(v) School Hygiene		26 28
	(vi) Nutrition (vii) Social Hygiene		29
77		• • •	
V.	MATERNITY AND CHILD WELFARE	• • •	31
VI.	Hospitals and Dispensaries		34
VII.	Dental Clinics		42
VIII.	Pharmaceutics		43
IX.	Medico Social Welfare Activities		44
Χ.	TRAINING OF PERSONNEL		45
		• • •	1,
ANNEXU			
	(A) Chart of Organisation of the Department		47
	(B) Maps of Medical Institutions		49-51
	(C) Establishment of the Department at 31.		53
	(D) Table and graph showing deaths by ages		
	1948 with the age distribution as foun the 1921 and 1931 censuses		51-55
	(E) Notifiable Diseases. Deaths and notification	tions	• ) • ] • )
	from 1946-1948		57
	(F) Tuberculosis Report		60
	(G) Report of Infant Mortality Committee		73
	(H) School Health. Results of medical inspec	ction	
	of pupils and defects found in schools		79
	(I) Summary of Hospital Work		83
	(J) Cases Treated in Government and Gov		
	ment assisted hospitals with total deatl		90
	the Colony for 1947 and 1948  (K) Report of the Tean Vuly Hespital		-86 $-134$
	(K) Report of the Tsan Yuk Hospital (L) Mortuaries: Summary of Work		-134 $-137$
	(M) Report of the Malariologist		$\frac{131}{138}$
	(N) Report of the Government Chemist		145
	(O) Report of the Government Pathologist		152

# Digitized by the Internet Archive in 2019 with funding from Wellcome Library

#### I.—ADMINISTRATION.

#### A. General.

In this report the text will refer to the period January 1st, 1948 to March 31st, 1949, but all statistical tables will refer to the calendar year 1948. Any discrepancies between text and tables are explained by this arrangement. It is proposed in future years that the text should refer to the financial year i.e. April 1st to the following March 31st, while statistical tables will refer to the calendar year as before. The period of fifteen months covered by the text this year being due to the fact that it is the transitional stage.

- 2. During the period under review the tendency was for the departmental activities to approach steadily the more normal peace time routine.
- 3. In the latter part of the year the office of the Principal Almoner was moved from the Queen Mary Hospital, where it had been since the beginning of the Almoners sub-department in 1939, to the Medical Department headquarters. The work of the sub-department has developed to such an extent that the Principal Almoner's duties are no longer specially concerned with the Queen Mary Hospital.
- 4. In January 1949 the Royal Naval Hospital evacuated the remaining wards occupied by them at the Queen Mary Hospital and as many of these wards as could be equipped and staffed were put into operation.
- 5. In a number of administrative matters concerning the medical profession as a whole, the advice of the Hong Kong & China Branch of the British Medical Association and the Hong Kong Chinese Medical Association was sought and their helpful co-operation was appreciated.
- 6. The chart in Annexure A shows the system of decentralization in the department. Maps showing the position of medical institutions in the Colony are shown in Annexure B.

#### B. Boards.

7. The Medical Advisory Board to His Excellency the Governor. This Board consists of representatives of the three Services and the British and Chinese Medical Association with the Deputy Director of Medical Services as Secretary. It met regularly during the early and latter part of the period under review but meetings were not held during the absence on leave of the Director of Medical Services. The community owes a debt of gratitude to the members of this Board who give so much of their valuable time to this work.

- 8. Medical Board. The Medical Board consisting of the senior Naval and Military doctors for the time being in the Colony, two registered medical practitioners and three other persons appointed by the Governor, is responsible for the control of admissions to the Medical Register and for dealing with matters of professional ethics among medical practitioners in the Colony.
- 9. Dental Board. The Dental Board consisting of the Government dental surgeon, two medical practitioners and two dental surgeons appointed by the Governor, carries out the same responsibilities for dental practitioners as does the Medical Board for the doctors.
- 10. Nurses Board. The Nurses Board consisting of the Principal Matron, one member appointed by the University and four members appointed by the Governor, is responsible for controlling admissions to the nurses register and for the qualifying examinations for nurses throughout the Colony. Candidates for these examinations come from seven approved training schools, two of which are Government hospitals and the remaining five private institutions.
- 11. Midwives Board. The Midwives Board consists of eight persons two of whom must be certified enrolled midwives appointed by the Governor. This Board is responsible for the Midwives register and for qualifying examinations and discipline among Midwives as is the Nurses Board for nurses.
- 12. The Director of Medical Services is car officio Chairman of these Boards.

#### C. Staff.

- 13. In May the Director of Medical Services went on leave and Dr. Thomas O.B.E., M.D. (Hong Kong) acted as Director of Medical Services until December 17th, when the Director of Medical Services returned. This was the first occasion on which a local officer has taken charge of a major Government department.
- 14. As in most other parts of the world great difficulty has been experienced in completing the establishment of the professional and technical staff. Among the doctors barely one third are expatriate officers and the department, therefore, depends greatly on a steady production of doctors by the University. Unfortunately considerable difficulties have been experienced by the University in getting into full swing after the Japanese occupation and, while a certain number of doctors have graduated each year, the full output cannot be expected until 1952. As a consequence, in order to maintain the medical services, it has been necessary to appoint, on a purely temporary basis, doctors who have qualified in China and other parts of the world, but who are not eligible for registration in Hong Kong. The policy is to replace these doctors by those eligible for registration when the opportunity arises.
- 15. Annexure C shows the establishment as it was on March 31st, 1949.

#### D. Legislation.

- 16. The following legislation affecting public health was enacted during the year 1948:—
  - Dangerous Drugs (Amendment) Ordinance, No. 5 of 1948.
  - Births & Deaths Registration Amendment Ordinance, No. 10 of 1948.
  - Public Health (Food) Amendment Ordinance, No. 19 of 1948.
  - Penicillin Ordinance, No. 21 of 1948.
  - Public Health (Sanitation) Amendment Ordinance, No. 45 of 1948.
  - The Hong Kong Anti-Tuberculosis Association Incorporation Ordinance, No. 55 of 1948.
  - Medical Registration Amendment Ordinance No. 12 of 1949.
  - Orders, Rules, Regulations and By-laws:-
    - Public Health (Sanitation) Ordinance, 1935 (By-laws for Dangerous & Offensive Trades) G.N. A.17 of 1948.
    - Public Health (Food) Ordinance, 1935 (By-laws for Roast (or Cooked) Meat shops.) G.N. A.37 of 1948.
    - Births and Deaths Registration Ordinance, 1934 (Amendment of First Schedule) G.N. A.65 of 1948.
    - Public Health (Food) Ordinance, 1935 (Amendment of By-laws re Markets) G.N. A.74 of 1948.
    - Public Health (Sanitation) Ordinance, 1935. (Amendment of By-laws re Laundries) G.N. A.105 of 1948.
    - Public Health (Food) Ordinances, 1935 (Amendment of By-laws re Sale of Milk generally and Dairies & Milk Shops) G.N. A.125 of 1948.
    - Dangerous Drugs Ordinance, 1935 (Addition of Certain Drugs to the Schedule) G.N. A.125 of 1948.
    - Births & Deaths Registration, 1934 (Additions to lists of Birth Register Offices) G.N. A.143 of 1948.
    - Public Health (Food) Ordinance, 1935 (By-laws for Shops for the Sale of Salted or Dried Fish or Sharks Fins) G.N. A.149 of 1948.
    - Quarantine & Prevention of Disease Ordinance, 1936 (Declaration of 'poliomyelitis' as a notifiable disease) G.N. A.199 of 1948.
    - Public Health (Food) Ordinance, 1935 (Amendment of Bylaws re Restaurants, Eating Houses and Food Stalls) G.N. A.204 of 1948.
    - Public Health (Food) Ordinance, 1935 (Amendment of Bylaws re Sale of Milk generally and Dairies and Milk Shops). G.N. A.213 of 1948.
    - New Territories Regulation Ordinance (N.T. Offensive Trade Rules) G.N. A.223 of 1948,

- Births & Deaths Registration Ordinance, 1934 (Regulations re Births Registration—Special Registers) G.N. A.248 of 1948.
- Adulterated Food and Drugs Ordinance, 1935 (Amendment of Regulations) G.N. A.262 of 1948.
- Hawkers Ordinance, 1935 (Amendments of By-laws) G.N. A.267 of 1948.
- Public Health (Food) Ordinance 1935 (Amendment of Bylaws re Markets) G.N. A.280 of 1948.
- Pharmacy & Poisons Ordinance, 1937 (Amendment of Regulations) G.N. A.289 of 1948.
- Births & Deaths Registration Ordinance, 1934 (Amendment of Medical Certificate of the Cause of Death) G.N. A.318 of 1948.
- The following legislation was enacted during the period January 1st, 1949 to March 31st, 1949.
  - Public Health (Animals & Birds) Ordinance, 1935 (Order reprohibition of importation of equines into the Colony) G.N. A.4 of 1949.
  - Public Health (Food) Ordinance 1935 (Amendment of Bylaws re Markets) G.N. A.14 of 1949.
  - Public Health (Sanitation) Ordinance 1935 (Amendments of By-laws re Mosquito Prevention) G.N. A.19 of 1949.
  - Pharmacy & Poisons Ordinance 1937 (Amendment of Regulations) G.N. A.54 of 1949.

#### II .- PUBLIC HEALTH.

#### General Remarks.

- 17. The health of the Colony during the 15 months under review was good, whether judged by standards of nutrition or by the statistics of morbidity and mortality.
- 18. Living conditions remained very much the same as in 1947. It seems likely that there was a slight increase in the population, but this was not sufficient to affect appreciably the standards of living or the degree of overcrowding.
- 19. Once again there was no smallpox or cholera epidemic, no case of cholera being reported at all and only a few isolated cases of smallpox which did not give rise to secondary cases.
- 20. A combined medico-social survey was carried out during the summer months under the chairmanship of Professor Robertson, Professor of Economics at the University. A block of 40 flats containing about 1,800 people was chosen for investigation. At the time of writing this report results are being analysed by the Government Statistician and it is hoped the report will be available during the coming months.

#### III.—VITAL STATISTICS.

#### A. Population.

21. As was the case in 1947 there is a considerable discrepancy between the estimated population and that obtained by extrapolation methods. The table 1 set out below gives the population figures from 1920 until 1948 (Excluding the period of occupation by the Japanese).

TABLE 1

Year	(1) Estimated Population	(2) Estimated Population
1920	648,150	547,350
1921	625,116	585,880
1922	638,300	578,200
1923	667,900	597,300
1924	695,500	714,500
1925	725,100	786,920
1926	710,100	786,920
1927	740.300	894,400
1928	766,700	979.440
1929	802,900	1,047,260
1930	838,800	1,047,400
1931	840.473	878,947
1932	900.812	900.812
1933	922,643	922,643
1934	944,492	944,492
1935	966,341	966,341
1936	988.190	988,190
1937	1,281,982	1,006,982
1938	1,478,619	1,028,619
1939	1,750,256	1,050,256
1940	1,821,893	1,071.893
1941	1,639,357	1,039,357
1942 - 1944	Not available	Not available
1012 1011	(Japanese Occupation)	
1945 (Sept.)	Under 600,000	11
1946	1,500,000-	1,168,815
	1,600,000	2.230.023
1947	1,750,000	1,214,762
1948	1,800,000	1,126,316

- (1) Official estimate published by the Department of Statistics in the Government Gazette, Supplement No. 4 of March 4th, 1949.
- (2) Estimated by extrapolation methods from the previous census, or by other methods.

#### B. Births.

22. Table 2 shows the number of births recorded with the birth rate per mille according to the population estimates from 1934, when the present Births and Deaths Registration Ordinance was introduced, until 1948.

TABLE 2

Year	No. of Births Registered	Birth rate using estimated population (1)	Birth rate using estimated population (2)
	00.000	20.11	00.11
1934	20,886	22.11	22.11
1935	25,037	25.9	25.9
1936	27,383	27.8	27.8
1937	32,303	25.19	32.1
1938	35,893	24.3	34.9
1939	46,675	26.7	44.4
1940	45,064	24.73	41.9
1941	45,000	27.44	43.29
1942	10.343	Not available (Japanese occupation)	Not available
1943	20,732	••	••
1944	13,687	11	**
1945	3,712	,,	4.9
1946	31,098	20.1	26.6
1947	42,473	24.3	35 "
1948	47,475	26.4	42.2

- 23. In addition 1022 post registered births were recorded.
- 24. Legislation was introduced in December, 1947 to permit re-registration of births recorded in the registers which were destroyed or lost during the Japanese occupation. A total of 438 births were registered under this Ordinance.

#### C. Deaths.

25. The following table shows the deaths registered and the death rate per mille based on the estimated population.

TABLE 3

Year	No. of Deaths Registered	Death rate using estimated population (1)	Death rate using estimated population (2)
1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941	12,516 14,761 14,735 17,565 16,268 18,797 19,829 18,161 19,766 22,133 26,356 34,635 38,818 48,283 61,010 61,324 83,435	17.62 19.93 19.21 21.89 19.4 22.36 24.74 22.11 20.93 22.90 26.60 27 26.25 27.6 33.48 37.4 Not available	15.9 16.5 15.06 16.77 15.14 24.08 24.74 22.11 20.93 22.90 26.60 34.4 37.7 46 56.9 59 Not available
1943 1944 1945 1946 1947 1948	40.117 24.936 23.089 16.653 13.231 13.434	(Japanese occupation) 10.7 7.6 7.5	(Japanese occupation) 14.2 10.9 11.9

- 26. The remarkable fall in the death rate in the post war years is in keeping with similar changes in many other parts of the world. Local explanations for this fall are probably the definite improvements in the nutritional standards in the "under privileged" members of the community and the extensive inoculation and vaccination campaigns which have played some part in keeping the Colony free from cholera and smallpox during 1947-48.
- 27. In December 1947 legislation was introduced to permit re-registration of deaths recorded in the lost registers as was done in the case of births and 11 deaths were registered under this Ordinance.
  - 28. The Post registered deaths for 1948 amounted to 80.
- 29. The graph in Annexure D shows a comparison between the deaths at different ages with the age distribution found in the censuses of 1921 and 1931.

#### D. Infant Mortality.

30. The table below shows the number of infant deaths per thousand live births for the years 1928 to 1948.

TABLE 4

Year	Infant Mortality Rate
1928	458
1929	662.9
1930	557.5
1931	617.42
1932	525.28
.933	454.89
1934	347.34
1935	316.36
1936	372.42
1937	376
.938	343
.939	345
.940	327
.941	Not available
.942 to 1945	Not available (Japanese occupation)
.946	89.1
947	102.3
1948	91.1

<sup>31.</sup> As in the case of the general death rate, the infant mortality rate has been considerably lower in post war years than in any previous year for which records are available.

<sup>32.</sup> The figures now published for 1946 and 1947 differ from those published in previous reports. It was found that an error had been introduced in the method of computing these figures in post war years and this has now been adjusted.

<sup>33.</sup> Table 5 shows the infant and neo-natal deaths also the neo-natal deaths per thousand live births.

TABLE 5

Age Period	1946	1947	1948
0-1 day	174	273	221
1-7 days	264	376	467
1-4 weeks	563	814	745
4 weeks - 3 months	771	981	900
3-6 months	462	750	665
6-9 months	367	731	775
9-12 months	169	421	551
Total under 1 year Infant Mortality rate	2,770 89.1	4,346 102.3	4,324 91.1
No. of deaths under 4 weeks	1,001	1,463	1,433
Neo-natal Mortality rate	32.2	34.4	30.2

<sup>34.</sup> The numbers for still births for the years 1947 and 1948 were 1348 and 1251 giving a still birth rate per thousand total births of 30.8 and 25.7.

### E. Maternal Mortality.

35. Table 6 shows the causes of death ascribed to pregnancy and child birth excluding abortions for the years 1946 to 1948.

TABLE 6

Inter- national No.	Causes of Death	1946	1947	1948
142 143 144	Ectopic gestation Haemorrhage of pregnancy Toxaemias of pregnancy:—	1	8	16 9
	(a, b) Eclampsia, Albuminuria (c) Acute yellow atrophy	6	12	10 1 4
145	(d) Others in 144 Other diseases and accidents of	3	$\frac{3}{2}$	4
146	Haemorrhage of childbirth and	9	17	13
147	puerperium	4	4	6
148	Puerperal toxaemias:— (a, b) Eclampsia, Albuminuria	2	1	and the same of th
	(c) Acute Yellow atrophy	1		1
149 150	Other accidents of childbirth Other conditions of childbirth and	4	15	5
	puerperium:— (a) Mastitis	empaned monore		Deliniques.
	(c) Others in 150			
142-150	TOTAL	32	68	65

36. Table 7 shows the maternal mortality for 1946—1948 with rates per thousand live and stillbirths.

# TABLE 7

	Maternal Mortality Rate	Rate per 1,000 Births	1.23	1.62	1.47
	Mate Mortalit	Nos. of Deaths	39	7.1	72
	Abortion (Nos. 140-141 of International List)	Rate per 1,000 Births	0.22	0.07	0.14
		Nos. of Deaths	7	ಣ	<u></u>
	Pregnancy & Child- bearing (Nos. 142-150 of International List)	Rate per 1,000 Births	1.01	1.55	1.33
		Nos. of Deaths	32	89	65
	Total Live	Births	31.783	43,821	48.726
	Still	Births	685	1.348	1,251
	Live	Births	31,098	42.473	47,475
	Year	1946	1947	1948	

F. Principal Causes of Death.

8 shows the principal causes of death during the years 1946, 1947 and 1948.

TABLE 8

Causes of death (classified by 1938 Revision of	Number of Deaths			
International List)	1946	1947	1948	
Smallpox	1,306	129	2	
Cerebrospinal fever	85	137	19	
Beri-Beri	1.318	312	140	
Diphtheria	62	52	49	
Malaria	765	253	193	
Tuberculosis of respiratory		200	130	
system	1.475	1.420	1.443	
Other forms of tuberculosis	343	443	518	
Syphilitic diseases	42	93	85	
Influenza	243	35	25	
Cancer, malignant disease	277	304	397	
Intracranial lesions of vascular				
origin	189	264	275	
Other diseases of nervous system	100		0.5	
and sense organs	132	180	95	
Diseases of the heart	379	514	572	
Other diseases of circulatory	44	00	67	
system	839	39	419	
Bronchitis	4.129	529	3,157	
Pneumonia (all forms)	4.129	3.464	0,101	
Other diseases of respiratory system	197	100	125	
Enteritis and diarrhoea	1,235	139	1,757	
Other diseases of digestive system	337	1.179	318	
Non-venereal diseases of genito-	337	361	510	
urinary system	226	341	350	
Premature births, congenital mal-		241	300	
formations and diseases of				
early infancy	982	1.289	1.214	
Other defined diseases	786	445	517	
Old age, senility	142	101	113	
Violence (accidents, suicide,				
homicide, etc.)	631	686	781	
Ill-defined causes	489	522	803	
TOTAL	16,653	13.231	13,434	

<sup>38.</sup> Annexure E shows the number of cases of notifiable diseases with the deaths at all ages for the years 1946, 1947 and 1948, also the age groups of diseases notified for 1948 and the notifications, deaths and deaths per 100 notifications for cerebro spinal meningitis, cholera, diphtheria, enteric fever and smallpox since 1928.

#### (a) Tuberculosis (all forms).

39. This disease gives rise to the second largest number of deaths for any single disease for all ages but is the chief cause of death among adults. A report on the tuberculosis service is given in Annexure F.

#### (b) Enteric Fever.

40. There was an increase in the number of cases of enteric fever in 1948 as compared with 1946 and 1947, but the death rate per 100 notifications has steadily fallen. The cases were sporadic and widespread throughout the Colony and at no time was it possible to identify any single source of infection.

#### (c) Smallpox.

41. The number of cases of smallpox recorded for 1948 was the lowest since records were kept.

#### (d) Measles.

42. Table 9 shows the notifications and deaths according to age groups for measles during the years 1946, 1947 and 1948.

1946 1947 1948 AGE GROUP Notifica-Notifica-Notifications Deaths tions Deaths tions Deaths 0 to 5 years 135 20 63 98 5 to 15 years 148 6 68 1 69 15 to 25 years 25 15 11 25 to 35 years 12 5 10 2 35 to 45 years 1 1 1 **45** to 55 years 1 1 55 to 65 years 1 65 to 75 years 75 · & over Unknown TOTAL 317 26 8 6 160 190 Deaths per 100 notifications 8 5 3

TABLE 9

#### (e) Pneumonia (all forms).

43. As in previous post war years pneumonia claims the greatest number of deaths taking all ages into account. There has, however, been a steady fall in the deaths recorded with the result that the deaths in 1948 from this cause were only a little over three quarters of those in 1946.

44. The majority of these deaths were among infants and were due to lack of adequate medical attention. Investigations into the cause of infant mortality made by a committee under the chairmanship of Dr. Lee Hah Liong showed that in only two and a half per cent of infant deaths recorded had the child been seen by a doctor for longer than twenty four hours before death (See annexure G).

#### (f) Cancer.

45. Table 10 shows the deaths and death rate for cancer as a whole for the years 1946, 1947 and 1948 and table 11 shows the number of deaths and the death rate per total cancer deaths according to site and sex for the same period.

TABLE 10

	-	- 18 -		
million ated (2)	H	237	250.2	352.4
th rate per mill using estimated population (2)	ſτί	139.5	146.5	202.4
Death rate per million using estimated population (2)	M.	97.5	103.7	150
million ated	T.	178.7	173.7	220.6
th rate per mill using estimated population (1)	F.	105.2	101.7	126.7
Death rate per million using estimated population (1)	M.	73.5	72	93.9
of Deaths	T.	277	304	397
	<u>ب</u>	163	178	228
Number	M.	114	126	169
Estimated Population (2)		1,168,815	1,214,762	1,126,316
Estimated Population (1)		1,500,000	1,750,000	1,800,000
Year		1946	1947	1948

TABLE 11

.

		•	19
	∞	ഥ	126 315 13 372 222 100 9 9 30 1,000
	1948	M.	213 597 531 118 112 121 121 833 833
0 Tota Deaths		[zi	84 286 40 354 339 118 6 17 11 45 1000
Per 1,000 Total Cancer Deaths	1947	M	182 627 40 40  16 16 17 47 1,000
Pe	91	Ei	80 331 331 25 129 6 6 6 1.000
	1946	M.	175 640 44 ————————————————————————————————
	48	듁	29 71 83 85 1 23 7 228
W	1948	M.	36 101 9 
of Deaths gistered	47	<u>F</u>	15 51 63 7 21 1 178
No. of Deat Registered	1946 1947	M.	23 79 79 126 126
2		<u></u>	13 54 54 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	19	M.	20 73 1 1 10 114
Sites			Buccal cavity and Pharynx Digestive organs and peritoneum Respiratory system Uterus Other female genital organs Breast Male genital organs Urinary organs Skin (Scrotum excepted) Brain and other parts of the nervous system Other and unspecified organs
Inter- national No.			44444000000000000000000000000000000000

#### (g) Enteritis and Diarrhoea.

46. There has been a considerable increase in the number of cases recorded in 1948 as compared with 1946 and 1947. As in the case of pneumonia, the majority of these deaths occurred in infants. The relatively high figure of 1214 deaths included in Table 8 under the heading premature births, congenital malformation and diseases of early infancy is due to the high number of deaths recorded in the first of these categories in some of the foundling homes. (See Annexure G).

#### IV.—HYGIENE & SANITATION.

#### (i) General Measures.

#### (a) Organisation.

- . 47. The urban health work is carried out under the following Ordinances:—
  - 1. Public Health (Sanitation) Ordinance.

2. Public Health (Food) Ordinance.

3. Adulterated Food & Drugs Ordinance.

- 4. Quarantine & Prevention of Disease Ordinance.
- 5. Public Health (Animals & Birds) Ordinance.
- 6. Hawkers Ordinance.
- 48. To deal with this work Hong Kong, Kowloon and New Kowloon are divided into 5 Health Districts, three in Hong Kong and two in Kowloon, each with a Health Officer and a Senior Health Inspector. Each district is then sub-divided into sections under the care of a Health Inspector. There are 43 sections in all—25 in Hong Kong and 18 in Kowloon and New Kowloon.
- 49. In addition to district duties, other health inspectors are employed on conservancy, refuse collection and disposal, control of hawkers, markets and slaughter houses, meat and food inspection and sampling and cemeteries.
  - 50. Rodent Control is under a specially appointed officer.

# (b) Sanitation.

- 51. The sanitation of the urban area is under the control of the Urban Council with a Chief Health Inspector in charge.
- 52. There are two systems of night soil removal in operation:—by water carriage sewerage and by bucket conservancy. Bucket conservancy is forced on the Colony by old types of houses, water scarcity and flush restricted areas. 10% of the 155 tons of human waste collected daily were transported to maturing tanks at Castle Peak. Experiments are being carried out to find out how far maturation helps in rendering this material safe for use as a fertiliser.

#### (c) Housing.

- 53. The shortage of houses continued with the resulting gross over-crowding. Newcomers of the poorer classes flocking to the Colony have found accommodation in huts and hovels on every available hillside and on the remaining sites of bombed and ruined buildings and have even established huge colonies on the roofs of tenement houses in the centre of the city. Surveys of this squatter population show that in June of 1948 the approximate number was 30,000. It is estimated that this number was doubled by the end of the year.
- 54. These squatter communities are herded closely together with a complete absence of any form of sanitation or water supply and thus form a continuous threat to public health. The type of hut or hovel, generally made of wood with bamboo matting or oiled paper, creates an ever present fire risk and in fact caused five fires during the year which resulted in the destruction of several hundreds of squatters homes and in one case the fire spread to adjacent domestic buildings.
- 55. In August a committee was formed and special legislation was introduced to deal with this problem, since then progress has been made in effecting a clearance in the central area.

#### (d) Water supply.

of excellent quality. Many wells exist on the mainland and these are a source of anxiety, particularly during periods of epidemic intestinal disease. The supply of potable water was good during the dry season and few restrictions were imposed. During 1948 consumption was 11,098 million gallons, just under 20 gallons per head per day, 2,437 samples from the public supply were examined bacteriologically and 689 chemical (or physical) examinations were made.

# (e) Rural Health.

- 57. The title refers to Public Health in the New Territories including the remote islands. A Medical Officer of Health is resident there, with 6 Health Inspectors.
- 58. New legislation, revising the health rules, is slowly being introduced. The new drafts contain much on subjects not previously dealt with; such as slaughter houses, control of markets and conservancy.
- 59. A set of rules on Offensive Trades became law in September.
- 60. The work of the Health Staff has been directed chiefly to improvement of hygiene in licensed premises such as restaurants, eating houses, food preparing establishments and food factories and to the control of markets and hawkers and to schemes for village planning and better housing. Marked improvements have taken place in Shek Wu Hui and Shatin. The condition of markets is improving rapidly.

- 61. There are nine Government Dispensaries giving free medical treatment to the villagers at Tai Po, Fanling, Sha Tau Kok, Un Long, San Hui, Sai Kung, Cheung Chau, Sham Tseng and Tai O. These Dispensaries have also a few beds for maternity cases. Midwives attend maternity cases in the villages as well. The medical needs of smaller villages which can be reached by road are provided by two travelling dispensaries. A launch carrying medical supplies makes frequent trips to the more remote islands. In January 1949 the Sham Tseng Dispensary reverted to private control.
- 62. In May a successful Health Week was held. Steady education of the people is being maintained in health matters. The cinema van visited three times and helped particularly in the vaccination campaign. This van proved very popular.
- 63. There is every reason to believe that the preventive aspect of health work is developing and that the people welcome the teaching. The purely curative aspect of Dispensaries is necessary and serves as a means of establishing friendly contact with the people and of getting in touch with the progressive elements in the population who appreciate the results. The combination works well and preventive measures are well received and supported by village elders.

#### (ii) Anti-epidemic.

office and is carried out by all Health Officers, Dispensaries, Hospitals, School Medical Officers and the Port Health Office. In addition there is a mobile unit attached to the central office. The main work is devoted to the control of smallpox and cholera epidemics and attention was concentrated in the first place on the squatters, who were considered the most likely focus of disease.

Table 12 shows the number of vaccinations and inoculations done each month.

~	7
-	
ш	
8	Ì
4	
-	

i- ius la- s	6	<b>∞</b>	5	9	<b>∞</b>	7	က	œ	5	œ	0	4	1
Anti- Tetanus inocula- tions	199	218	305	989	208	292	693	598	575	218	490	634	5.861
Anti- Typhus inocula- tions	644	710	1,437	1,612	1,485	1.542	770	663	429	282	559	260	11,196
No. of persons treated with anti-rabies inoculations	75	108	82	194	219	212	223	203	160	187	171	240	2,074
Anti- Plague inocula- tions	285	135	208	179	376	205	182	112	6	9		m	1.701
Anti- Typhoid inocula- tions	737	463	1.139	914	942	1,178	898	299	1,219	940	876	891	10,834
Anti- Diphtheria inocula- tions	4.204	3,596	6.408	738	ıc	499	25		1.530	2,670	1.586	2,442	23,703
Anti- Cholera inocula- tions	5.692	3,542	9,652	54,318	86,138	88,549	49.910	35,599	26,052	7.162	6,043	299'9	379,324
Anti- Smallpox Vaccina- tions	95.276	89.363	134,423	46.773	18.097	15.623	14,424	14.074	14.776	149.930	169,437	127.146	889,342
Month 1948	January	February	March	April	May	June	July	August	September	October	November	December	Total

- 65. Rodent control is under the administration of a Rodent Control officer and forms an integral part of the anti-epidemic work. The systematic destruction and control of rats was carried out on the general principles laid down in the "Control of Infestation" of H.M.S.O. of 1946, and adapted to the circumstances and conditions in the Colony. Block control was aimed at by using prebaiting followed by poison and post baiting to detect the presence of survivors. Minor infestations are dealt with by trapping. Rats caught by trapping are chloroformed and examined for fleas which are counted and classified for information on the prevailing flea index. All rats collected are examined microscopically, and a microscopic examination is made for signs of plague.
- 66. R. Norvegicus is the more common type of rat found in the tenement houses. R. Rattus is more common in ships but is also found in tenement houses. The final disposal of all rats is by burial.
- 67. In addition to these more specific measures, the Health Inspectorate conduct routine activities such as the prevention of sale of cut fruit, shell fish and ice cream products made by unlicensed factories. All food factories, restaurants, eating houses are inspected regularly and there is frequent sampling of milk and ice cream.

#### (iii) Health Propaganda.

- This important branch of the Health Services is being developed steadily. In order to stimulate interest among the population and to obtain their co-operation a Health Week was again held in May. It was on similar lines to that of 1947. Six subjects were chosen as follows: Maternity and Infant Welfare, Flies, Mosquitoes and Malaria, Spitting and Tuberculosis, War against rats, and a review of the services provided for prevention of disease and the part every citizen can play. Posters were prepared and posted in prominent places, a school competition was organised and the public address systems and the cinema van was in constant action. Wireless talks were given to link up with the subjects treated on that particular day by the posters, newspaper articles and talks. The publicity was given in both Chinese and English. This week was a success but it was felt that in future years the tendency should be rather to concentrate on steady work all the year round and to retain the Health Week as an infrequent spurt. With this in mind, five films have been made by local talent and these have been shown steadily by the cinema van. Other films are in course of preparation. Use has been made of the van in stimulating vaccination by showing pictures and thus giving the publicity and providing the vaccination service on the spot.
- 69. The cinema van consists of an adaption of an army vehicle fitted with a generator and projector and so arranged as to throw the pictures on the reverse side of a screen fitted at the

back of the vehicle, and so shaded as to allow an audience to see the pictures during daylight. In addition an amplifier is fitted with a microphone for direct speech, or a wire recorder can be fitted so that any special propaganda may be repeated again and again from the same recording. This provides much needed relief for the broadcaster.

- 70. In a more routine manner vaccination and inoculation are stimulated by the notices in the local press showing where these immunisations may be done free. Vaccination and inoculation have now become a condition of licence in eating houses and factories.
- 71. Spitting in the streets was less noticeable except for a period when the many newcomers from China were unaware of Hong Kong laws. A short notice warning the public of the dangers is shown at every performance in the cinemas. This has had an excellent effect.
- 72. On one day in every week a special patrol is on the look-out for spitting offenders. These are arrested at once and fines up to \$25 have been imposed.

#### (iv) Port Health Work.

- 73. The activities of the Port Health Office cover work at the sea-port, the railway terminus and the air-port.
- 74. The staff of the Port Health Office consists of a Port Health Officer, a Second Port Health Officer, seven Assistant Port Health Officers, three registered midwives and eight public vaccinators. Additional staff of twenty-two temporary public vaccinators was needed during periods of high pressure of work.
- 75. The Port Health Office was transferred from King's Building to the Marine Department building in May. This juxtaposition with the Marine Department has resulted in much closer and more efficient co-operation.
- 76. On the 1st July, the second quarantine anchorage at Kowloon Bay was opened for ships entering the harbour from the eastern entrance. The original anchorage at Stonecutters for ships coming in at the western entrance was continued as well.
- 77. Further progress was made in the scheme to establish a quarantine station at Junk Bay in the old Rennie's mills site, tentative plans have been drawn up and have been considered by the Port Executive Committee.
- 78. During the year 4,326 vessels with 195,038 passengers and 212,354 crew were examined at the quarantine anchorages. Three ships had infectious disease on board, the motor vessel Ruys and the S.S. General Meigs each with three cases of smallpox and the motor vessel Purea with one case of smallpox.

- 79. Owing to an outbreak of smallpox in Canton inspection of passengers arriving by train was carried out from 5th January, 1948 to 10th March, 1948. 168,752 passengers were examined and 85,565 were vaccinated at the station, nine cases of leprosy were discovered in the course of inspection.
- 80. 56,926 emigrants and 16,512 crew from 133 emigrant ships were examined. There were 42 rejects.
- 81. 2,468 Bills of Health were issued, 2,436 to Merchant ships, 30 to H.M. ships and 2 to U.S. warships. The anticipated reduction in the demand for bills of health did not take place, there being 221 more issued this year than last year.
- 82. 63 ships from plague infected ports were examined, cargoes being inspected and the degree of rat infestation being investigated and dealt with where necessary.
- 83. Three vaccination and inoculation centres at the Fire Brigade Building, Harbour Office, and the Tsim Sha Tsui Health Centre were maintained during the year.
- 84. 3,064 river vessels were inspected and 1,248 ferry launches. 337 water boats were examined and 356 samples of water taken. All wharves along the Hong Kong water front are inspected daily.
- 85. 2,577 aircraft from infected ports were inspected, with 37,562 passengers and 9,927 crew. Of these 2,149 aircraft were from plague infected ports and carried 37,531 passengers and 9,898 crew. The hand baggage of all passengers was treated with A.L.63. 35 radio pratiques were issued by the Port Health Officer. 124 ships were fumigated with a total tonnage of 204,051 and 1,720 rats were recovered. Sulphur fumigation was used in the early part of the year but after 10th July, 1948 cyanide fumigation was also used.
- 86. On 1st September, 1948 the International type of certificate for vaccination and inoculation was adopted, previously a modification of this had been used.
- 87. After 1st June, 1948 arrangements were made for the Port Health Officer to authenticate signatures of private practitioners in Hong Kong. A total of 2,830 certificates were authenticated. On 17th February, 1948 Dr. P. M. Kaul, Director of the Singapore Office of the World Health Organisation and Dr. L. Nicholls, former acting Director of the same office visited Hong Kong and were shown the work of the Port Health Office.

#### (v) School Hygiene.

88. The staff of the School Hygiene Branch consists of one medical officer in charge; four assistant medical officers, one nursing sister, four nurses, two health inspectors and clerical staff. In addition to this full time staff there is a part time staff consisting of two Ophthalmic surgeons and an Ear Nose and Throat surgeon.

- 89. The main duties of this staff are to advise the Education Department in matters relating to the health of school children and the health requirements in schools and to undertake the medical inspection of individual pupils who come under the Schools Medical Service Scheme.
- 90. Of a total in December, 1948 of 797 schools in the Colony with 117,435 pupils the following categories of schools came under the Schools Medical Service.
  - (a) 5 Government schools with a total of 787 pupils, mostly Europeans.
  - (b) 21 Grant in Aid schools numbering 6,096 pupils and mostly Chinese.
  - (c) 52 Subsidized schools numbering 9,224 pupils mostly Chinese.
- (d) 2 Private vernacular schools with 218 pupils. making a total of 80 schools and 16,325 pupils.
- 91. The number of medical inspections undertaken in these schools with the results are shown in Annexure H.
- 92. Owing to the shortage of accommodation a two session system is adopted in many school premises.
- 93. With a few exceptions, Government and Grant in Aid Schools are conducted in buildings specially planned for school purposes and the premises are generally satisfactory. The vast majority of subsidized and private schools, however, are conducted in tenement flats or in buildings that were never intended to be used as schools. While regulations to safe-guard hygiene have been laid down in the Education Ordinance and which must be complied with before registration is granted, this type of school suffers from lack of proper facilities for physical exercise and is generally situated in a thickly congested urban area.

94. All proposed school buildings and all existing school premises in the urban area were inspected regularly. During the year 2,092 school inspections were carried out as follows:—

New applications for day schools	80
,, ight schools	129
Applications for extension	54
Proposed Government school	1
Routine inspection	1,826
Unregistered schools	2

- 95. Of the premises inspected five were refused permits as being unsuitable. Defects found in existing schools are shown in Annexure H.
- 96. Prophylactic immunisations against diphtheria and vaccination against smallpox was carried on throughout the year in all schools in the Colony. 9925 pupils received the first and second doses of alumn-precipitated toxoid and a further 3012 received the first dose only. 90,932 staff and pupils were inoculated against cholera and 39,842 were vaccinated against smallpox.

- 97. The pupils and staff received their inoculation either in the schools themselves or in the health centres in the vicinity.
- 98. In the schools coming under the School Medical Service the following categories of pupils were examined:—
  - (a) all new entrants.
  - (b) Routine examination of all pupils falling under the age groups—5, 10, 12, 15 and 18 years.
  - (c) All children placed under observation as a result of routine examinations, and those referred to doctors for special examination.
  - (d) All children for an annual check up of vision and teeth.
- 99. Pupils found to be suffering from defects requiring treatment are instructed to attend one of the school clinics and a report on the child's condition is forwarded to the principal of the school concerned with the request that it should be forwarded to the guardian of the pupil.
- 100. General school clinics are held in three centres:—the Harcourt Health Centre, the Ellis Kadoorie school building, and the Kowloon Hospital out-patient department. Special eye clinics, dental clinics and ear, nose and throat clinics were held in the Harcourt Health Centre and Kowloon Hospital out-patient department.
- 101. Pupils requiring surgical attention could go to the Kowloon and Queen Mary Hospitals and all cases of suspected pulmonary tuberculosis were referred to the Tuberculosis Clinic at the Harcourt Health Centre.
  - 102. Attendances at these Clinics were as follows:—

# TABLE 13

	General School Clinic	Eye Clinics	Dental Clinics	E.N.T. Clinics
New	5,530 6,255	886 595	4,411 1,315	249 62
Total	11.785	1,481	5,726	311

- 103. The optical workshop supplied 804 pairs of spectacles to pupils during the year.
- 104. 120 visits were made by school nurses to the homes of school children who were in serious need of medical attention, but whose attendance at the clinics had been unsatisfactory.

#### (vi) Nutrition.

105. Until the end of February, 1948 the rationed quantity of rice remained at 5.6 taels a day or  $3\frac{1}{2}$  catties for a period of

10 days at a cost of 48 cents a catty. The flour ration was 1.6 taels a day or one catty for 10 days at the cost of 44 cents a catty. On March 1st the price of rice was increased to 54 cents a catty and flour at 56 cents, but the rationed quantities remained the same. Flour ration remained in this position until September 15th when it was de-rationed. On August 1st the rice ration was increased to 7.2 taels a day or  $4\frac{1}{2}$  catties for 10 days, the price remaining at 54 cents a catty. This was the position at the end of the year.

- 106. As in 1947 the general standard of nutrition was good with little evidence of gross under-nourishment or malnutrition. The two factors which appear to have contributed most to this improved nutrition standard is the considerable post war increase in wages in the labour and artisan classes and the limited ration of rice available which has resulted in a greater variety in the diet.
- 107. Deaths from nutritional diseases recorded during the year were 1 death from Barlows disease (infantile scurvy) and 140 from Beri-Beri. This latter figure compares with 312 in 1947 and 7229 in 1940, the last year before hostilities when these figures were available.
- 108. Hopes for the appointment of a nutrition officer were doomed to disappointment and at the end of the period under review there was still no officer in the department whose duties were primarily concerned with nutrition.

#### (vii) Social Hygiene.

109. The Health Officer Social Hygiene has a staff of 5 doctors to assist him, 1 technical assistant, 8 dressers and 17 nurses. There are five Government clinics:—Queen's Road West, (male and female), Wanchai (female), and the Harcourt Health Centre (male) on the Island, and in Kowloon one at Ashley Road (male) and one at Tsim Sha Tsui Health Centre (female). In addition to these centres, there is a small hospital at the Wanchai Social Hygiene centre which has 16 beds for women and four cots. There are also six male beds and two female beds in the Queen Mary Hospital. Attendances at these clinics are shown in Table 14.

TABLE 14

	M	ale	Fer	male	Total		
Clinic	New	Old	New	Old	New	Old	
Queen's Rd. W.	1,979	25,950	1,187	23,317	3,166	49,267	
Wanchai	2,824	26,411	2,211	23,911	5,035	50,322	
Tsim Sha Tsui	3,139	25,388	2,877	30,791	6,016	56,179	
Total	7,942	77,749	6,275	78,019	14,217	155,768	

110. The number of new cases and the total attendances at the out-patient clinics is shown monthly below:—

#### TABLE 15

Monthly.	New Cases.	$Total\ Attendances.$
January	976	10,793
February	812	7,716
March	1,256	11,832
April	1,475	13,534
May	1,360	14,023
June	1,520	16,132
July	1,278	15,587
August	1,247	14,609
September	1,102	13,651
October	1,167	13,740
November $\dots \dots$	972	12,070
December	1,052	12,081
	14,217	155,768

- 111. A total of 149 cases of congenital Syphilis were treated during the year.
- 112. Home visiting is carried out by the nurses at the various clinics where attendance for treatment is irregular and attempts are made to persuade the patients to attend more regularly.
- 113. Proclamation No. 28 of the 21st March, 1946 giving powers for compulsory treatment of certain classes of cases lapsed at the end of 1947, but notifications of sources of infection are still being made and health visitors who subsequently get in touch with such girls have proved successful in persuading them to attend for treatment without the aid of legal powers of compulsion.
- 114. Tables 16 to 18 show the average number of attendances at the different clinics for cases of syphilis for the years 1946, 1947 and 1948. The low average of attendances at the Ashley Road Clinic is due to the high proportion of transients, such as seamen, who attend there.

TABLE 16

1946	Clinic	Cases of Syphilis	Attendances	Average Number
Male	Ashley Road	728	5,671	7.79
,,	Queen's Road West		7.002	7.8
7.7	Wanchai	821	8,584	10.45
Female	Tsim Sha Tsui	1,205	10,899	9.04
,,	Queen's Road West	731	5,874	8
15	Wanchai	791	8,203	10.37
	Total	5,173	46,233	8.94

TABLE 17

1947 Clinic	Cases of Syphilis	Attendances	Average Number
Male Ashley Road  " Queen's Road West Wanchai  Female Tsim Sha Tsui Queen's Road West Wanchai	1,129 686 803 883 435 777	8,164 7,472 9,943 9,160 5,572 7,941	7.23 10.9 12.38 10.37 12.8 10.22
Total	4.713	48,252	10.24

#### TABLE 18

1948	Clinic	Cases of Syphilis	Attendances	Average Number
Male ,, Female ,, ,,	Ashley Road Queen's Road West Wanchai Tsim Sha Tsui Queen's Road West Wanchai	1,025 754 993 832 475 812	7,314 9,843 9,926 8,996 8,391 8,724	7.135 $13.06$ $10.00$ $10.81$ $17.66$ $10.74$
	Total	4,891	53,194	10.87

#### V.--MATERNITY AND CHILD WELFARE.

#### (a) Centres.

115. There are three Maternity and Child Welfare Centres, one at Tsim Tsa Tsui in Kowloon and one each at the Harcourt and Western Centres on the Island. Besides ante-natal and neo-natal clinics there are clinics for the care of babies up to 2 years of age. Test feeding and supplementary feeding where necessary is carried out and an extra meal of congee, meat and vegetables is given to mothers who need it. Home visits are paid by the Health Nurses. Considerable attention has been concentrated on the instruction of mothers and classes of instruction and the showing of films, lantern slides and other methods of demonstration were employed on the principle of instructing certain selected more intelligent mothers with the idea that they would in turn talk to and instruct their friends. Table 19 shows the attendances at the Infant Welfare Centres:—

#### TABLE 19

	New	Revisits	Total
Harcourt Centre Kowloon Centre Western Centre	2,534 2,897 2,407	31,913 33,654 41,196	34,447 36,551 43,603
Total	7,838	106,763	114,601

5,781 mothers and children were given diet supplements of congee or milk at the feeding centres.

116. 3,476 domiciliary visits were paid by the nurses. Of a total of 114,601 babies attending the centres, 38,733 were classified as healthy. This tendency for large numbers of infants to be brought because of actual illness is being discouraged and in January 1949, sick children clinics were opened in the public dispensaries and out-patient clinics and sick children attending the Infant Welfare clinics have since then been referred to these special sick children clinics. This has resulted in considerable increase in the time available for the educational and preventative aspects of the work at the Infant Welfare Clinics. The number of ante-natal attendances at the 3 centres is shown in table 20 below:—

TABLE 20

	New	Revisits	Total
Harcourt Centre Kowloon Centre Western Centre	330 387 177	529 702 435	859 1,089 612
Grand Total	894	1,666	2,560

# (b) Maternity Hospitals and Homes.

- 117. There are two maternity hospitals, Tsan Yuk Hospital with 62 beds and the Eastern Maternity Hospital with 28 beds. In addition maternity cases are admitted to the Queen Mary Hospital, Kowloon Hospital and Cheung Chau Hospital, making a total of 180 beds available for maternity cases.
- 118. Besides these hospitals there are 15 centres in the urban and rural areas where maternity service is provided free. In 9 of these there are from three to six beds for in-patients and in all centres there is a domiciliary service.

- 119. A total of 3336 cases were treated by these centres.
- (c) Maternity Homes.
- 120. There were 99 maternity homes registered during the year. Table 21 shows details and size and situation. These homes were regularly inspected by the Supervisor of Midwives.

TABLE 21

Number of beds in each Home	2	3	4	5	6	7.	   Total
Number of Homes in Hong Kong	   10	17	   19 	3	 	 	49
,, ,, ,, Kowloon	16	19	8	3	2	2	50
Grand Total	26	36	27	6	2	2	99
Number of beds	52	108	108	30	12	14	324

- 121. There were 740 midwives registered, but of these only 173 were in active practice. 78 new registrations were made during the year and this figure included 59 new graduates and 19 re-registrations.
- 122. Table 22 shows the births attended by Doctors and Midwives for the years 1946, 1947 and 1948.

TABLE 22

	1946	1947	1948
	- Address - Addr		e-collection and colored and change colored extension to specific
Queen Mary Hospital Kowloon Hospital Tsan Yuk Hospital Eastern Maternity Home Private Hospitals Govt. Dispensaries (Attended by Midwives)	117 979 2,645 868 4,058	398 1,261 3,826 1,633 9,066	719 1,189 4,458 1,831 12,161
Private Maternity Homes	9,586	13,150	14,324
Total births delivered in hospitals and maternity homes	18,893	30,594 9,237	36,264
Total No. of births attended	24,521	39,831	46,384
Total No. of births	$31.098 \\ 78.9 \%$	$42,473 \\ 93.8 \%$	47,475 97.7 %

#### VI.—HOSPITALS & DISPENSARIES.

- 123. Annexure I gives a summary of the cases treated in the Government and Government assisted hospitals, clinics and dispensaries.
- 124. Annexure J shows cases treated at Government and Government assisted hospitals and the total deaths in the Colony for 1947 and 1948 by diseases.

#### (a) Queen Mary Hospital.

- 125. This is the largest hospital in the Colony containing 550 beds. The Royal Navy which occupied part of the upper two floors moved to their own hospital on 14th January, thus releasing the whole hospital for civilians for the first time since the re-occupation of the Colony. The Hong Kong University reorganized its clinical units with the appointment of a Professor of Surgery in August and a Professor of Medicine in October. Apart from the University work the main mass of patients admitted at the Hospital were emergencies of all kinds, accidents, police cases and Government servants.
- 126. There is no general out-patient department at this hospital which is situated four miles out from the centre of the town but a large out-patient clinic held at Sai Ying Pun is directly linked with it and special clinics are held there by the staff of the Queen Mary Hospital.
- 127. All admissions to the hospital are screened by the Almoners Department as to their ability to pay fees and where necessary their home conditions are investigated and additional food or other assistance provided.
- 128. Private consultations with members of the staff for both Government servants and the general public are arranged through the Almoners Department.
- 129. During the year 7,099 in-patients were treated of which 760 were maternity cases. There was a total of 446 deaths. 4,258 operations were performed.
- 130. Physical examination of Government servants for employment to the permanent establishment number 2,271 for new appointments and 154 for confirmation to the permanent establishment.

# (b) Kowloon Hospital.

131. This hospital consists of 182 beds and is the emergency hospital for the mainland and, with the exception of the University cases, deals with similar cases to those at the Queen Mary Hospital. During the year a special block was built containing 15 beds for patients in police custody. The whole hospital was rehabilitated for the first time since the reoccupation and the last traces of the war years have been removed.

- 132. Owing to the rapid growth of the Colony, the hospital is now quite inadequate for the needs of the mainland and in the latter part of the period under review, plans were made for placing 80 beds at Lai Chi Kok Hospital at the disposal of the staff of the Kowloon Hospital. During 1948 5,025 in-patients were treated including 1,352 maternity cases with 208 deaths two of which were maternity cases. 1,761 operations were performed.
- 133. There is a large out-patient department attached to the hospital where a total of 68,522 cases attended.

### (c) Mental Hospital.

- 134. This hospital has accommodation for 123 patients. The average number of in-patients was 95. Out of 482 patients treated, 201 were discharged, 140 were transferred to Canton and 23 died. By agreement with the Canton authorities cases were transferred to the Canton Municipal Mental Hospital where those who have had more than 3 months residence in Hong Kong are supported by the Hong Kong Government.
- 135. The building is old and in unsuitable surroundings but has been rehabilitated throughout and with the appointment of a psychiatrist in October, to take charge of it, considerable advance has been made in the treatment available for the patients.

### (d) Sai Ying Pun Hospital.

- 136. This hospital continued to be used as the infectious diseases hospital on the Island with accommodation for 100 beds capable of being increased to 150. A total of 557 cases were treated during the year and of these 88 died.
- 137. In the same compound though not associated with the infectious diseases hospital is the Sai Ying Pun Out-patient department. A total of 80,754 new cases were treated in the department with a total of 157,105 attendances.

### (e) Lai Chi Kok Hospital.

138. This hospital consists of two sections. The lower section with 290 beds is used as an infectious diseases hospital and for tuberculosis cases, the upper block containing 180 beds is used partly for convalescent cases from Kowloon and Queen Mary Hospitals and partly as an annex to the Kowloon Hospital. This arrangement of beds became possible in the latter part of the period under review as a result of extensive repairs to the building. During the year a total of 1,324 cases were treated in the hospital made up as follows:—

260 infectious disease cases.

339 Tuberculosis cases.

725 General cases.

### (f) North Point Convalescent Home.

- 139. Consists of a number of wooden huts with accommodation for about 200 beds for convalescent cases from Queen Mary Hospital and Kowloon Hospital.
- 140. Owing to the poor structural condition of these huts, it was decided to close the hospital in May and patients were transferred to Lai Chi Kok Hospital. A total of 272 cases were treated during the period it remained open.

### (g) Felix Villas. Tuberculosis Sanatorium.

141. This Sanatorium consisted of a block of 9 converted houses. It was well situated and had accommodation for 33 patients, but was not very suitable as a sanatorium. At the end of March 1948 the sanatorium was closed and the patients transferred to Lai Chi Kok Hospital. A total of 77 patients were treated during the period it was open.

### (h) St. John Hospital—Cheung Chau.

- 142. Government continued to maintain this hospital which was built by, and before the war was run by, St. John Ambulance Association. It has accommodation for 76 patients including 31 beds for tuberculosis cases and 12 maternity cases. A total of 1049 patients were treated in this hospital of which 663 were general cases, 69 were cases of tuberculosis and 317 were maternity cases.
- 143. Attendances at the out-patients were 5,129 new cases with a total attendance of 9,869.
- 144. The tuberculosis cases admitted to this hospital were convalescent cases needing a period of additional rest before completing their hospital treatment.

### (i) Hong Kong Prison Hospital.

145. This hospital which is part of Stanley prison consists of three wards, each containing 16 beds and 6 isolation cells. There were 818 admissions to the hospital and the daily average prisoners in hospital was 46. 13,068 prisoners reported sick during the year. The total number of prisoners admitted to the prison during the year was 13,446. There were 8 deaths of which 7 were due to pulmonary tuberculosis.

### (j) Tsan Yuk Hospital.

146. This hospital containing 62 beds is the largest maternity hospital in the Colony. It has been constantly overcrowded during the year dealing with some 400 cases per month. Annexure K gives a summary of the cases dealt with during the year.

### (k) Government Assisted Hospitals.

able grants from Government. Three of them known as the Chinese Hospitals comprise the Tung Wah Hospital with 467 beds, the Kwong Wah Hospital with 340 beds and the Tung Wah Eastern Hospital with 230 beds. The other two assisted hospitals are Nethersole & Affiliated Hospital under the aegis of the London Mission Society with 131 beds and the Hong Kong Anti-tuberculosis Association's Ruttonjee Sanatorium with 115 beds which was opened on the 24th February, 1949.

### The Chinese Hospitals.

- 148. These hospitals are under the control of a medical committee consisting of members representing the Tung Wah Board of Advisers, the Tung Wah Board of Directors with the three Medical superintendents under the Chairmanship of the Director of Medical Services.
- 149. They provide hospital treatment primarily for the sick and poor, but have a few private wards.

### The Nethersole Hospital.

150. The Nethersole Hospital caters in the main for patients who can pay a very small amount towards their treatment.

### The Ruttonjee Sanatorium

151. The Ruttonjee Sanatorium staffed by the St. Columban Mission of Eire among whom are registered doctors, nurses and pharmacists, caters for tuberculosis cases only and all treatment is free. In general, early open cases are admitted and there is a close liaison between the Sanatorium doctors and the Government tuberculosis clinic at the Harcourt centre which makes selection of this type of case possible. As this hospital was not open during the calendar year 1948, it will be excluded from all statistical reports.

### Violet Peel Polyclinic.

152. The building which houses this clinic was a health centre before the war, but was badly damaged and looted during hostilities. Reconstruction and rehabilitation was completed in October, 1948 but in the meantime the Harcourt Health Centre, situated in the same neighbourhood, had made its reopening as a health centre superfluous. It was therefore decided to use it partly as a polyclinic and partly as an ophthalmic hospital. The Polyclinic, the only large clinic of its kind in this area, was opened on the 1st November. Owing to staff difficulties it was necessary to postpone opening of the ophthalmic hospital. Weekly attendances at this Clinic grew from 725 for the first week to double this number by the end of the year.

Chinese Public Dispensaries.

- 153. There are 9 public dispensaries distributed throughout the urban area of the Mainland and Island. They provide primarily an out-patient service and a maternity service, including in some cases a few maternity beds, but in all cases a domiciliary service. In addition during the peak periods of anti-epidemic work the dispensaries form centres for propaganda and for vaccination and inoculation campaigns.
- 154. In January 1949 special clinics for sick children were opened each morning in these dispensaries, and the result has been a very rapid rise in children's attendances from approximately 3,000 in January to 13,000 in March. Table 23 set out below summarises the work done at these dispensaries.

TABLE 23

	Out	Out-Patients	Ď	Deliveries		
Public Dispensaries	New	Attendances	In- patients	Domiciliary	Vaccinations	Inoculations
:	24.209	43,433	ĺ	Ī	8,837	1,069
:	30.882	45,813	1,831	1	24,866	2,762
:	15,982	24,099	burner in		8,810	687
:	14,055	20,739	Ī	330	2.714	208
:	15,006	21,993	Ī	1	3.657	64
	31,730	50,346	-	349	5,442	728
	43,366	72,463		77	11,365	1,069
:	37,051	72,958		278	30.771	1,370
•	6.403	12,236	97	19	840	449
	218,684	364,080	1,928	1,053	97,302	8,406

New Territories Medical Centres & Maternity Homes.

New Territories together with two mobile units. The work of these fixed and mobile dispensaries is co-ordinated by an officer combining the functions of a medical officer and medical officer of health. The following table gives a summary of the work done by these units.

TABLE 24

	Out-Pa	atients	Deliv	veries					
Dispensaries	New Cases	Atten- dances	In- Patients	Domici- liary					
Tai Po	12,179	24,740	424	16					
Ho Tung	1.605	3,631	60	91					
Shataukok	1.473	6,809	69	40					
Un Long	12.746	27,639	407	98					
Ruttonjee	1.539	2,741	28	11					
San Hui	2,108			137					
Sai Kung	3.352	5,744	65	52					
Tai O	5.912	14.776	134	37					
Mobile (East)	3.848	7.687							
Mobile (West)	1,969	3,361		_					
Silver Mine Bay	290	560							
Ping Shan (South)	1,632	3,560							
Total	48,653	105,882	1.187	482					

156. In October 1948 it was decided to reorganize the Ho Tung Dispensary to enable a small number of general in-patients to be admitted, primarily for members of the Police Force who would otherwise be "sick in quarters".

157. The Ruttonjee Dispensary which was originally presented to the Government by Mr. J. H. Ruttonjee, c.b.e. was formally handed back to him in January, 1949.

### Ambulance Service.

158. The Medical Department provides an ambulance service for all parts of the Colony for cases other than accidents and street emergencies which are dealt with by the Fire Brigade. This service is provided free of charge for all patients. There are 17 ambulances in use, 10 in Hong Kong, 5 in Kowloon and 2 in the

New Territories. Between them these ambulances covered 103,252 miles and have carried a total of 26,639 patients, 16,606 in Hong Kong and 10,033 in Kowloon.

### Blood Bank.

- Medical Department with an offer to help in organizing a blood donor service. Efforts had been made during the previous 20 years with only a very limited success to develop a service of this kind and this offer was therefore welcomed and steps were at once taken to put it into effect. It was decided that for the time being it should be limited to the two Government Hospitals dealing with emergencies, that is, the Queen Mary Hospital and Kowloon Hospital, with the collecting centre to be at the Queen Mary Hospital. Influencing this decision was the fact that as much as a dollar per cubic centimetre of blood was being offered in other hospitals in the Colony not under Government control, and it was felt that this service should be on a strictly voluntary basis.
- 160. In March 1949 a special Sister was assigned to this work and a start was made in building up a blood bank as opposed to a blood donor service. The panel of donors reached the figure of 200, 32 of whom were Chinese. 102 transfusions have been given.

### X-ray Department.

161. This department was shared with the Royal Navy until January 1949 when they moved to their own hospital thus making it possible for the Physiotherapy department to move back to its pre-war quarters. The work in the Department shows a further increase over previous years and table 25 is a summary of the work done.

### TABLE 25

Kowle	oon Hospital	Queen	Mary Hospital
Chests Bones Abdomen Barium Meals Intravenous	2,655 2,814 437 171		7,386 $3,050$ $561$ $307$
Pyelography Cholecystography Lipiodol	$\begin{array}{c} 24 \\ 12 \\ 8 \end{array}$	(includes broncho- graphy)	116 41 19
Cystography Salpingography Myelography Ventriculography Teeth	8 — — 133		44 4 3 293
	6.262	Miniature Chests (R.N.H. cases large films Miniature Chests	11.824 31.082 2,370 5,798)

- 162. During the year visits to do X-ray work were paid to the Kwong Wah Hospital and the Tung Wah Eastern Hospital and for part of the time screening work was done at the Harcourt Tuberculosis Clinic. Deep X-ray therapy was not available during the year but a small quantity of radium recovered from Japan was in constant use.
- 163. A miniature X-ray outfit, the property of the Hong Kong Auti-tuberculosis Association, was used at the Queen Mary Hospital for surveys and routine chest work.
- 164. The Physiotherapy department is under the administration of the Government Radiologist and a summary of the work done is set out below:—

TABLE 26

•	In- patients	Treatments	Out- patients	Treatments
Kowloon Hospital	284	2,157	1,500	14,124
Queen Mary Hospital	464	3,522	779	7,076
Royal Naval Hospital Cases	205	2,458	-	

### VII.-DENTAL CLINICS.

- Sai Ying Pun Health Centre, one at Harcourt Health Centre and one at the Kowloon Hospital. Owing to shortage of staff only one of these centres, that at Sai Ying Pun was working full time, but during the latter part of the period under review whole time dentists became available and all three clinics were in full operation.
- deal with all the demands made on them. The work was concentrated on certain groups. In the first group were Government servants and their families who were entitled to conservative treatment as well as extractions. In the second group were the children included in the schools medical service who were entitled to extractions only, but with the appointment of a whole time dentist at the Harcourt Health Centre some conservative work for these children became possible. The third group consists of a small number of members of the general public who were in urgent need of dental treatment. Table 27 shows the total number of visits paid by these different categories in all clinics.

### TABLE 27

	Harcourt Health Centre	Kowloon Hospital	Sai Ying Pun Hospital
Government servants	531	406	1,985
Families	317	235	932
School children	4,153	1,570	541
General Public	289	2,820	6,058
	ar shared to the first has been consisted the depth week of a religion to the depth of the contract of the con	Mary Address - Mary - Service completed of department of the American Service Conference Office Conference of the American Service Conference Office Confe	
	5,290	5,031	9,516

167. Two Dental Inspectors were employed during the year to inspect premises of registered dentists and investigate cases of un-registered dental practice. A number of police prosecutions resulted.

### VIII.—PHARMACEUTICS.

- 168. Mr. T. P. Mahon arrived in the Colony in January 1948 as chief pharmacist replacing Mr. L. J. Morley who had retired.
- 169. During the year 89 institutions were supplied from two distributing dispensaries, one in Hong Kong and one in Kowloon.
- 170. An excellent surgical instrument repair service has been built up by the Stores department and a large number of unserviceable instruments have been repaired.
- 171. Supplies from the United Kingdom have been slow to arrive and in some cases without any apparent reason. Much surgical equipment ordered more than two years ago is still outstanding.
- 172. In October 1947 a Streptomycin Committee was appointed with the Senior Medical Officer as Chairman, and 8 members representing the University and the Government.
- 173. This Committee controlled the treatment of all cases receiving streptomycin in Government institutions, and was responsible for the selection of the cases and the standardising of records. In March 1949 cases requiring treatment with streptomycin in the Ruttonjee Sanatorium also came under the control of this Committee as the Streptomycin was obtained from Government sources. 164 cases in all have been treated by this Committee.

### IX.--MEDICO SOCIAL WELFARE ACTIVITIES.

- 174. At the end of the financial year ending April 1948, the relief section of the Medical Department was handed over to the Social Welfare Officer and the welfare activities of the Medical Department were confined to medico social work under the direction of the Principal Almoner with a staff of 3 Almoners and 7 Probationer Assistant Almoners and 3 students in training.
- 175. The members of the Almoners Department are placed at the following institutions:—

Medical Headquarters—Government
Supervisor ... ... ... ... ... ... 1 (Principal Almoner)
Queen Mary Hospital ... ... ... 4
Kowloon Hospital ... ... ... ... 3
Harcourt Tuberculosis Clinic ... ... 3
Sai Ying Pun Centre ... ... ... 1
Violet Peel Polyclinic ... ... ... ... 1
Lai Chi Kok (Post vacant, Visiting Almoners only)

- 176. Advice and material assistance was given to patients in need in the following ways:
  - a. Repatriation to the country.
  - b. Supply of artificial limbs and other surgical appliances.
  - c. Recommendation for hawker licences.
  - d. Maintenance of children in homes, crêches etc.
  - e. Temporary financial assistance and the supply of clothes and food.
  - f. Communication with relatives of patients in other territories.
  - g. Advice on employment etc.
- 177. Close co-operation with other social welfare work in other Government departments was maintained and reports on all industrial accidents admitted to the hospitals or treated in the out-patients were made to the Labour Office. Road accidents were similarly reported to the Police Department.
- 178. Close co-operation was also maintained with the non-Government welfare organisations such as the Families Welfare Society and Salvation Army. Reference to the special work associated with the Tuberculosis Clinic will be found in Annexure F.
- 179. An attempt has been made to institute an after-care system for patients discharged from the Mental Hospital and efforts have also been made to place mentally defective women in suitable institutions.
- 180. At the end of the period under review, Miss M. S. Watson, M.B.E., Principal Almoner, who built up the Almoners sub-department from its beginning, resigned on marriage.

### X.—TRAINING OF PERSONNEL.

- 181. It is the aim of the Medical Department to train its own technical officers as far as possible up to the standards set in the United Kingdom. In some cases reciprocity has been achieved and in others it is hoped that reciprocity will not be long delayed.
- 182. Table 28 sets out the various technical groups who have received training from the department with their relative strengths:—

TABLE 28


	Appoint- ments	Resigna- tions	Strength at 31.3.49
Probationer Masseuses	2		2
,, Radiographic Assistants	_	1	2
Probationer Dispensers	5		15
Assistants	1		2
Probationer Health Inspectors	20		20
" Assistant Almoners			
(Students in training)	4	3	8
Probationer Nurses	23	16	84
" Midwives	22	15	21
" Dressers	17	6	30

- 183. The training of dressers and nurses was continued but only one nurse and one dresser passed the final qualifying examination. This small number was due to the fact that those who were probationers in training before the war have now completed their course and the post-war group have not yet reached the stage of sitting for their final examination.
- 184. 22 Midwives, 16 of whom were registered nurses passed the final examination.
- 185. A number of health inspectors sat for examinations held by the Board of Examiners of the Royal Sanitary Institute (Hong Kong Centre) and of them 14 qualified for the Sanitary Inspectors Certificate and 19 for the Certificate in Tropical Hygiene.


- 186. One dispenser and one pharmacist qualified during the period under review.
- 187. Arrangements were made during the year with the Society of Radiographers by which they recognised training given to Radiographic Assistants in the medical department and agreed that examinations for the membership of the Society of Radiographers might be held in Hong Kong.
- 188. Negotiations with the Society of Medical Laboratory Technicians for similar recognition to be accorded to locally trained laboratory assistants unfortunately broke down but it is hoped at a later date that it may be possible to take this matter up again.

I. Newton,
Director of Medical Services.


July, 1949.














# ANNEXURE C. STAFF OF MEDICAL DEPARTMENT

### AS AT 31.3.49.

Director of Medical Services	1
Deputy Director of Medical Services	1
Deputy Director of Health Services	1.
Senior Medical Officer	1
Senior Health Officer	1
Radiologist	1
Malariologist	1
Government Pathologist	1
Pathologist	1
Government Chemist	1.
Chemist	2
Dental Surgeon	1
Medical Officers & Health Officers etc.	104
Nursing Staff	528
Executive Officers	6
Health Staff	129
Clerical Staff	148
Pharmaceutical Staff	36
Laboratory Staff	12
X-Ray Staff	14
Massage Staff	5.
Dental Staff	7
Stewards	3
Vaccinators	39
Almoners	13
Others	1824
Total	2881

ANNEXURE D.

AGE DISTRIBUTION AS FOUND IN 1921 AND 1931 CENSUSES.


	192	1 "			1931	
Years	Males	Females	Total	Males	Females	Total
0 - 5 6 - 10 11 - 15 16 - 20 21 - 25 26 - 30 31 - 35 36 - 40 41 - 45 46 - 50 51 - 55 56 - 60 61 - 65 66 - 70 71 - 75 76 - 80 81 - 100 Unknown	27.296 23,413 30,151 50,216 49,785 45,303 37,950 36,050 24,231 19,297 12,310 8,268 4,450 3,792 1,126 463 235	26,451 24,736 25,736 23,242 22,608 23,596 20,080 19,580 12,754 11,301 7,145 6,310 3,773 2,594 1,600 847 485	53,747 48,149 55,887 73,458 72,393 68,899 58,030 55,630 36,985 30,598 19,455 14,578 8,223 6,386 2,726 1,310 720	43,539 32,436 40,676 64,665 63,289 52,162 42,870 36,935 28,890 23,976 16,492 11,110 6,538 3,455 1,584 598 266 1,936	43,695 31,734 34,270 35,648 37,410 36,413 29,268 26,579 20,374 17,797 12,266 10,059 6,247 4,032 2,228 1,226 677 89	87,234 64,170 74,946 100,313 100,699 88,575 72,138 63,514 49,264 41,733 28,758 21,169 12,785 7,487 3,812 1,824 943 2,025


### ANNUAL MORTALITY RETURN FOR 1948.

Male	Female	Unknown	Total
121	99	1	221
1,961	2.140	2	4,103
1,267	1,147		2,414
229	201		430
537	359		896
745	549	Martin and	1,294
785	488		1,273
625	406	ne menerali	1,031
439	423	committee	862
266	271		537
82	168		250
47	18	-	65
			58
		Total	13,434
	121 1,961 1,267 229 - 537 745 785 625 439 266 82	121       99         1,961       2,140         1,267       1,147         229       201         537       359         745       549         785       488         625       406         439       423         266       271         82       168	121       99       1         1,961       2,140       2         1,267       1,147       —         229       201       —         537       359       —         745       549       —         785       488       —         625       406       —         439       423       —         266       271       —         82       168       —         47       18       —         —       —       —

<sup>\*</sup> The majority of these bodies were removed from the Wing On fire.

### ANNEXURE D.





## ANNEXURE E. NOTIFIABLE DISEASES.

### Notifications & Deaths-1946 to 1948.

Diseases		tal No. otificatio			No. of t all age	
	1946	1947	1948	1946	1947	1948
C. S. M	293	566	69	85	137	19
Chickenpox	123	116	146	1		3
Cholera	514	6		246		
Diphtheria	161	122	140	62	52	49
Dysentery	172	158	183	60	18	25
Enteric Fever	221	246	311	115	61	69
Malaria	2,422	608		765	$2\tilde{\mathfrak{s}}3$	193
Infantile Paralysis			1	1	3	3
Measles,.	317	160	190	26	8	6
Plague		<u></u>	<u></u>			
Puerperal Fever	6	7	12	4	4	5
Rabies Human	2	4	$\frac{1}{1}$ 2	2	$\frac{1}{2}$	2
,, Animal		1	3		1	3
Relapsing Fever	77	25		31	6	
Scarlet Fever	2	1	1			
Smallpox	1,998	214	8	1,306	129	2
Tuberculosis	2,801	4,855	6,279	1,818	1,863	1,961
Typhus Fever	42	19	5	$\frac{1}{2}$		1
Yellow Fever				-		
Whooping Cough		2	21	5	4	_

NOTE:—Malaria not notified after May, 1948.

Whooping Cough and Infantile Paralysis notifiable diseases since 23.10.47 and 30.7.48 respectively.

# ANNEXURE E.

# AGE GROUP OF NOTIFIABLE DISEASES

1948.

Cerebro-spinal Meningitis Chickenpox Diphtheria Dysentery: Amoebic Bacillary	F	Total   11   36   10   -   2   -	M. 224   10   4	F. 1 26	Total   2   40   36	M.	[E4	m^+01									
127   17	4 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111 36 10	224 100   4	16   26	2   40   36	1		lotai		[년	Total	M.	ĮŦ,	Total	M.	<u>E</u>	Total
127   12	4 4 6   1	36 10 10 2	224-101   4	16   26	2 40 36	1											
		10   2	10   4	26	36		40	111	7-61	9	16	14	15	29	37	32 -	69
ebic —		2	4	_		29	30 -	 200 200		15	22		+ G	13		83.0	140
lary   1		2	4						4	 در		82	28	110	98		118
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		-			ر ا			-	2	)	2	40	12		47	15	9
Clinical —   —	_			<u> </u>	-		<u> </u>			-		2	-	က	2		က
			2		<u></u> .	2	4	6	26	17	43	161	95	256	194	117	311
10	16	76	35	28	63	21	18	39	12	26	38	15		24	- 60	97	0
rever — –	 						1	1					12	12			12
Human     -				-		-						П		2	П		2
Animal —   -		-	_ 	<u> </u>	_ 		<u> </u>		Ī	-	-	1					က
ver     -	_	_	<u> </u>	<u> </u>	-	-	_			-	1				1	1	
   	7	2		2	2	<u> </u>	 <del>  </del>			-		1		2	2	<u>9</u>	∞
139			165   1	128	293	116	122	193	164	119	283	3,365	1,911	5.276	3.949	2.330	6.279
ever — — –	<u> </u>	-		-	_ 	<u> </u>	-				-	2	2	4	<u></u>	2	2
Whooping Cough   —   Infantile	4	4	<u></u>		— — ∞	 ~	— <del>-</del>	9			ന ന		1		6	12	21
aralysis			1					Н									<b>—</b>
TOTAL   176   14	149	325	245 2	208	453	195	158	353	239	200	439	3.698	2.100	5.798	4.553	2.815	7.371

Nil return for Cholera, Plague, Relapsing Fever & Yellow Fever.

	Deaths per 100 Notifications	49	87	92	53	& 83	77	89	72	70	73	79	77	81	65	09	25	
Smallpox	Deaths	0	S	249			$ \mathcal{C} $	104	4	16	94	$\mathfrak{A}$	153	<u></u>	0	$\circ$	2	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Notifications		~	~	$\overline{}$	$\overline{}$	9	153	9	2	$ \mathcal{O} $	2,327	0	3	9	$\vdash$	— — ∞	_
ver	Deaths per 100 Notifications	31	29	36	33	41	31	31	30	33	38	35	N.A.	N.A.	52	25	22	
Enteric Fever	Deaths	74	61	62	_ 20	83	64	65	95	$\mathfrak{C}$	~	187	$\infty$	$ \mathcal{C} $	$\vdash$	61	69	-
Ent	Notifications	' বা			$\overline{}$			212	$\overline{}$	$\overline{}$	9	00	Q;	Q.	$\odot$	246	$\overline{}$	
ದ	Deaths per 100 Notifications	30	46	43	25	40	. 99	51	09	57	48	46	N.A.	N.A.	39	43	35	
Diphtheria	Deaths	27	64	. 41	27	81	81	83	$ \mathcal{C} $	$\vdash$	4	147	4	$\Im$	62	52	49	-
Д	Notifications	06	140					162						N.A.	161	122	140	
	Deaths per 100 Notifications		-	ior		ot		•			64	99	63	99	48		.	
Cholera	Deaths			Figures prior		1937 not		available.			1,082	363	448	626	246	_		_
	Notifications			Fig		to		ਲ			9	547	0	TH.	$\vdash$	- 9		-
nal- is ccal)	Deaths per 100 Notifications	92	80.	65	64	59	62	51	49	53	56	46		N.A.	29	24	28	
Cerebro-spinal- Meningitis Meningococcal)	Deaths	16	20	13	16	122	118	125	54	65	88	223	214	N.A.	85	137	19	_
Cer N (Me)	Notifications	21	25	20	25	207	191	246	110	123	157	483	488	N.A.	293	999	69	
	Year	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1946	1947	1948	

**—** 59 **—** 

N.A.=Figures not available.

NOTE:-Figures for war years 1941 to 1945 are not available.

### ANNEXURE F.

### REPORT ON THE TUBERCULOSIS SERVICE.

Tuberculosis, accounting as it does for 14.6% of all deaths in the Colony, is probably the most important single health problem facing the Government today. The problem is extremely complex and offers no easy solution. The population, as a result of the present economic and political conditions in China, is grossly inflated resulting in appalling conditions of overcrowding affecting all classes, but more particularly the working classes for whom little, if any, additional housing has been built during the The type of house in almost general use, a single large room occupying a whole floor and divided by 6 foot partitions into cubicles, some as small as 36 square feet, and housing a whole family, while ideal from the point of view of ventilation, lends itself to easy spread of infection. To add to the existing difficulties numbers of tuberculosis sufferers travel fairly considerable distances to the Colony from neighbouring areas being attracted by the prospect of free treatment. It is a tribute to the resistance of the population that the deaths from pulmonary tuberculosis are maintained at their present level. Should any deterioration in the local economic conditions occur, without a compensatory fall in the population, the tuberculosis deaths are likely to return to the high level observed before the war.

For various reasons reliable statistics are not available. In the first place, no recent census figures are available. The last census was taken in 1931, since when the population has doubled, halved, and doubled again, according to estimates. Nor is information available on the age and sex distribution of the population, an important feature in the analysis of statistics relating to tuberculosis. It is quite usual to encounter individuals who work in the Colony and maintain their wives and families in their native villages. Thus the preponderance of males in the community is likely to be exaggerated—a probability which was confirmed in the 1931 census returns.

On the other hand, information in relation to tuberculosis is not satisfactory on account of incomplete notification. Numerous individuals attend the public clinics giving a history of having received private treatment yet never having been notified. Out of a total of 6279 notifications recorded during the year 537 were made by private practitioners, an average of 1.5 notifications per practitioner per year. The patient himself is far from anxious to have the knowledge of his disease made public on account of the social repercussions that are liable to ensue. One can only guess how much deliberately concealed tuberculosis exists.

The figures recorded for deaths due to tuberculosis are surprisingly low and in keeping with the low figures recorded for deaths from all causes. It is known that a number of advanced cases do return to China to die but how much influence this has on the general figure is not yet known. The ratio of deaths to notifications of tuberculosis is low compared to the findings in other parts of the world and indicate a high natural resistance to the disease. This high resistance is apparent in the response to hospital treatment, and in the number of healed lesions—often extensive—which are found on routine examinations and which so far as can be ascertained gave rise to no symptoms. For example a survey of 4515 Government servants carried out during the year showed the following results.

Active tuberculosis	89
Healed ,,	497
Suspicious	121
Not tuberculous	3808

The following table shows the figures of known cases and rates based on the accepted figure for population on

- (a) Estimated population (1)
- (b) Estimated population (2)

TABLE I
TUBERCULOSIS (ALL FORMS)
NOTIFICATIONS AND DEATHS.

	ed															
Death r 100,000 pop.	Estimated (2)	259	200	190.3	225.6	226.6	241.2	230.7	231.5	244.5	400.0	478.3	423.0	149.8	153.2	174.1
De Rates per	Estimated (1)	330.9	268.7	237.7	235.9	226.6	241.2	230.7	231.5	244.5	314.2	332.7	253.8	109.50	106.3	108.9
Z/Q	Ratio				,								1 to 1.7	1 to 1.6	1 to 2.6	1 to 3.2
C + 600	Dearlis	2,537	2,158	1,994	1,983	2,042	2,225	2,179	2,237	2,416	4,028	4.920	4.443	1,752	1,861	1,961
Notifica-	tion				эрје	shite	N 1	οN	~~~~~			nay — saugus hillionid	7.591	2,801	4.855	6.279
Population	Estimated (2)	979,440	1,047,260	1,047,400	878,947	900,812	922,643	944,492	966,341	988,190	1,006,982	1,028,619	1,050,258	1,168,815	1,214,762	1.126,316
Popu	Estimated (1)	766.700	802,900	838,800	840,473	900,812	922,643	944.492	966,341	988,190	1,281,982	1,478,619	1,750,256	1,600,000	1,750,000	1,800,000
V - 2	rear	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1946	1947	1948

It will be seen from the above that the progressive reduction in the tuberculosis death rate evident from 1928 onwards showed a marked adverse tendency from 1937 onwards accompanied by a sudden rise in the population due to the influx of war refugees The outstanding feature of the table, however, is the drop in the figures for 1946—48 which, though increasing slightly over the period, have remained relatively steady. consideration of the rate as a whole some comfort can be obtained from the fact that even considering the local conditions the figure is only double that shown in U.K. where social conditions are immeasurably better, where relief is available for all and where a comprehensive scheme for the diagnosis and treatment of tuberculosis has been in existence for many years. The second outstanding feature is the improvement of the deaths/notification figures again exhibiting the resistance of the population to the This recovery power is apparent in the shortness of the period of hospitalisation required to stabilise patients. tendency is apparent in the local population only and is not true of Europeans in whom the disease runs an expected course; it must, however, be emphasised that this is merely an impression gained from limited observation and that it is not yet backed statistically.

One very disquieting feature of the tuberculosis picture is the very high and increasing number of deaths from tubercular meningitis. This rising figure is out of all proportion to the smaller increase in the deaths from tuberculosis (all forms) and shows a progressive reduction in the age at death. This is a measure of the deterioration in the social conditions and indicates an increase in the intensity of infection. The rise may be due to an increase in the number of younger children at risk but is more probably a true increase, as it is not apparent in the other forms of tuberculosis.

TABLE II
TUBERCULAR MENINGITIS
Deaths 1946—48.

	1946			1947			1948		
	M.	F.	Total	M.	   F.	Total	M.	F.	Total
- 5 -15 -25 -35 -45 -55 -65 -75 -75 + Unknown	63 18 11 3 3 1 - -	48 10 5 4 2 1 —	111 28 16 7 5 2 —	110 16 3 5 1 1 1 —	106 13 1 3 2 2 - -	216 29 4 8 3 1 —	163 17 2 5 2 1 —	132     19     4     -   1     -   -   -	295 36 6 5 3 2 —
Total	99	70	169	137	127	264	190	157	347

It will be seen that while deaths from tuberculosis (all forms) have risen by 5% over 1947 the tuberculous meningitis deaths have risen by 31%. Furthermore 85% of these deaths occurred before the age of 5 years as against 81% and 66% in 1947 and 1946 respectively.

Deaths from tuberculosis (other forms) have remained fairly steady over the past 3 years and have not shared the rise shown in the meningitis deaths nor is there any significant alteration in the age of incidence. It is of interest to note that the deaths, from tuberculosis (other forms) constitute 8.7% of all tuberculosis deaths, about the same proportion as is shown in the figures for United Kingdom. The origin of these infections is highly unlikely to be from milk in view of the small amount of milk consumed in the Colony. There is no specialised service for dealing with non pulmonary disease and little accurate information is available on the subject.

TABLE III

DEATHS FROM TUBERCULOSIS (OTHER FORMS)

1946—1948.

		1946			194	7	1948		
	M.	F.	Total	M.	F.	Total	M.	F.	Total
- 5 - 15 - 28 - 35 - 48 - 58 - 68 - 75 - 75 + Unknown	54   19   9   7   8   —   —	37 18 5 7 5 3 -	91 37 14 14 13 3 2	71   25   4   2   1   2   -   -   -	49 14 4 5 2 — —	120 39 8 7 3 2 —	68   17   4   4   3   2   -   -   -	48   10   5   6   3   1   —   —   —	116 27 9 10 6 3 —
Total	99	75	174	105	74	179	98	73	171


Deaths from pulmonary tuberculosis have remained fairly constant over the past 3 years when considered numerically in spite of the deterioration in social condition. Based on the estimated population (1) the rate has fallen steadily 92, 81, 80 per 100,000 in 1946, 1947 and 1948 respectively. Based on the estimated population (2) the figures for the same years are 126, 117 and 128 per 100,000. In consideration of the fact that the two sets of figures show different tendencies it would be futile to draw conclusions. It is obvious, however, that these figures do not reflect the increases apparent in the meningitis deaths. It would appear therefore that the increased intensity of infection has been, to some extent at least, offset by the improved economic conditions resulting in improved resistance in adults.

The very substautial increases in the number of cases of pulmouary tuberculosis notified can be accounted for by several In the first place the settling of conditions considerations. generally has resulted in more stabilised and organised medical Secondly, efforts are being made to ensure that all diagnosed cases are notified. Thirdly, the government has established a diagnostic service available to all without charge with the result that a large number of individuals who would otherwise be denied treatment on economic grounds are now being seen The principal feature of interest is the preponderance and notified. of male cases in all except the 65-75 age groups. How much of this preponderance is due to an increased morbidity rate and how much is due to variation in the sex distribution is difficult to determine exactly though it is thought likely that adult males outnumber females in the same age groups on account of the attractions in the nature of employment offered by the Colony. In the 1931 census it was found that males constituted about 60% of the population between the ages of 11 and 55 years. Assuming that conditions are now relatively the same, as would appear likely we have the explanation of the apparent higher morbidity in On the other hand the case mortality which is lowest in the 35-45 age groups is higher in females until this age after which the rates are fairly similar.

TABLE IV
PULMONARY TUBERCULOSIS
Deaths and Notifications.

S1 ( ,		Total	205 149 950 2,031 1,364 636 249 636	5,648
Notifications (Pulmonary)	1948	দ.	299 689 508 128 128	2,055
		M.	128 95 651 1,342 856 367 121 30	3,593
		Total	74 36 210 397 338 118 30 30	1,443
	1948	[편	33 110 110 120 120 120 120 120	572
		M.	141 126 242 242 144 198 11	871
Deaths (Pulmonary)		Total	22 220 438 352 219 19	1,420
(Pulm	1947	[보	23 172 172 116 65 41 12 13	532
Deaths		M.	133 133 266 154 154	888
		Total	129 39 39 231 407 348 215 84	1,475
	1946		60 151 101 101 88 101 101 101	532
		M.	69 143 256 247 146 149	943
Age	Groups		0-5 5-15 -25 -35 -45 -65 -75 -75 -75	TOTAL

Graph showing ratio of deaths to notifications in males and females expressed as a percentage and set out in age groups.



Facilities for diagnosis and treatment are fairly widely scattered. A number of the Chinese hospitals run special outpatient clinics for the purpose and much of the work is done privately. Very little information in these services of a statistical nature is available. The largest single service organised for this purpose is the Government Anti Tuberculosis Service, instituted as a special service in 1947. The amount contributed from the different sources may be assessed from the notification returns.

### From

(a)	Anti Tuberculosis service	2,736
(b)	Private practitioners	537
(c)	Hospitals, Clinics etc., including other Government Institutions	$\frac{3,006}{6,279}$

### Government Anti Tuberculosis Service.

The Government Anti-tuberculosis service provides free diagnostic service available to all, either for the use of private practitioners or for voluntary attendance by the patients themselves. It is now in its second year of operation. The principal clinic is at Harcourt Health Centre where daily morning sessions for diagnosis and afternoon sessions for treatment are held. Subsidiary clinics are held weekly in various outlying districts for the convenience of residents in these areas and are visited by the medical staff of the central clinic.

Details of clinic attendances are as follows:—

### A. Harcourt Health Centre.

(a)	Attendances.	
	First Visits—referred by (a) private practitioners	468
	(b) hospitals	927
	voluntary attendances	11,717
	contacts	204
		13,316
	Re-visits	52,423
	Total	65,739

(b) Condition on first attendance.

Not tuberculosis	3,344					
Tuberculosis (1) Active	3,107					
(2) Inactive or healed	2,484					
Suspicious	1,161					
Diagnosis not completed (patients did not re-attend)						
	13,316					

(c) Extent of disease.

Bilateral cases outnumbered unilateral cases by 2 to 1. As yet no established classification scheme has been introduced.

### B. Subsidiary Clinics.

(a) Attendances.

(6)	21 di Oliwwio Co.	1st Visit	$Re ext{-}visit$	
	Un Long	158	335	
	Taipo	129	235	
	Sai Kung	20	6 (In	operation only
	Aberdeen	170	337	few weeks)
(b)	Diagnosis.	477	913	
	Free from tuber	culosis	290	
	Tuberculosis		187	
			477	

### Hospital Accommodation.

A total of 281 beds is available in government institutions for the treatment of pulmonary cases. These are distributed as follows:

Queen Mary Hospital	 46
Lai Chi Kok ,,	 204
Cheung Chau ,,	 31

These beds, upon whom government servants have prior claims, are otherwise being set aside for early cases. Queen Mary Hospital provides all necessary surgical treatment and patients are kept there for short periods only being transferred to the other institutions to complete convalescence. Lai Chi Kok Hospital, originally built as a temporary institution, provides the bulk of the available beds. The accommodation and facilities provided are far from ideal and the lack of space and the fact that parts of the hospital are used for other purposes makes the provision of sanatorium routine a very difficult matter. Useful work is,

however, being done and some improvement in the conditions can be reported. The policy adopted of admitting early cases only was gradually introduced in the latter part of the year and the general outlook of patients and staff has improved.

Cheung Chau Hospital is used for convalescent cases in the main although some treatment cases are admitted. The treatment is carried out by a medical officer from the central clinic, but the general care and day to day requirements are undertaken by the medical officer in charge.

The Tung Wah Group of hospitals have been most co-operative in disposal of patients, and particularly in taking care of the advanced and ill cases.

The total number of beds available in the Colony for treatment of tuberculosis, calculated either on the standard of one bed per thousand population or one bed per tuberculosis death per year, falls very far short of the requirement but, under the circumstances hospital beds for the tuberculous will always be in short supply as the greater the provision, the greater the demand through the arrival of tuberculous individuals from other areas.

The known number of beds reserved exclusively for cases of tuberculosis is 427 distributed as follows:—

Government Anti Tuberculosis service 281—Government Servants and early cases.

Tung Wah Hospital ...... 40—Advanced cases.

Kwong Wah Hospital ...... 40— do.

Working in co-operation with Government service.

### Results of treatment.

In the absence of any system of classification of cases, the results of treatment are impossible to assess and present, but, generally speaking, the response to treatment is highly satisfactory.

### Radiological examination.

All X-ray work in connection with the clinic is carried out at the Queen Mary Hospital. First examinations are done on miniature films and thereafter according to request. The absence of an X-ray unit in the clinic occasions some delay in diagnosis and disposal of patients, but this deficiency is being kept in mind in future planning. The radiologist has been most helpful and co-operative in the formulation and furthering of measures introduced in efforts to decrease these delays and reduce inconvenience to patients to a minimum. In view of the distance at which the X-ray unit is situated from the clinic transport to and fro is provided.

## Bacteriological.

All bacteriological work done in connection with the tuberculosis service is carried out at the Government Pathological Institute. Details of examinations carried out on behalf of the clinic are as follows:—

	Positive	Negative	Total
Sputum	958	2,229	3,187
Gastric contents		812	893
Pleural fluid		94	112
Kahn test	1,782	211	1,993

#### Tuberculosis Visitors.

During the year a course was instituted for the training of health visitors for the tuberculosis service. Ideally such visitors should have nursing training before undertaking such a course, but, due to the lack of trained nurses, it has been necessary to select individuals and train them specifically for the post of health visitors in the tuberculosis service and to instil some knowledge of nursing, hygiene and social welfare work during this training. The services of these visitors are utilised as follows:—

- (a) Feeding scheme.
- (b) Education of patients on domiciliary treatment.
- (c) Bringing up for examination and treatment patients who have failed to attend the clinic.
- (d) Contact examination.

The contact examination scheme has only recently been introduced and promises to be a considerable success. It is so organised that the necessity for patients to attend the clinic is as far as possible abolished, having in mind the fact that the clinic is already overcrowded and symptomless contacts are not anxious to spend a complete morning among known infectious cases. At present only children under 8 years of age need attend and this only for tuberculin testing at a session held specifically for this purpose. The proportion of early cases so discovered promises to be high.

#### Social Provisions.

Gradual extension of social provisions has taken place during the period. Assistance is now provided both in cash and in kind.

Cash provisions are limited to cases who, because of financial difficulties, would be unable to accept hospital treatment when offered, on account of family commitments. A maintenance grant is provided for dependents during the patient's stay in hospital. Financial assistance is occasionally provided where a case intends to return to his native village.

Assistance in kind is provided by the department in the form of dietetic supplements. These supplements are not intended purely as a feeding scheme, but the diet is carefully chosen to provide items which would be likely to be lacking in the patient's normal diet and can be provided in a palatable form. The food is distributed by means of a specially fitted van, hot and ready for consumption, and delivered near the patients' homes. This scheme was started experimentally in November on the island, and met with a limited though increasing success, and has since been extended to the mainland, where the food is supplied at feeding centres kindly loaned for the purpose by the Social Welfare Officer.

Further assistance in kind is available for patients in the form of dried milk powder, which is distributed at the clinic weekly.

Such medicines as are required are distributed free.

Difficulty is experienced in placing tuberculosis sufferers in employment following discharge from hospital. Considerable prejudice is encountered against such individuals but some success has been achieved by the Almoner's Department in finding suitable employment for a few ex-patients.

## Propaganda.

One of the local problems on the preventive side is the illiteracy of the population. It has been estimated that almost 90% of the patients attending the public clinics are unable to read. It is, therefore, extremely difficult to get health propaganda across to these individuals. An anti-spitting campaign was introduced and very considerable improvements in the habits of the general population in this connection are apparent. Health education including information on tuberculosis is also disseminated by cinema vans using locally produced as well as imported films. The long term effects of this campaign can only be guessed but good results are hoped for. A number of posters are also widely distributed in public places.

# Surveys.

The use of mass radiography is not immediately contemplated on account of the comparative youth of the tuberculosis service and the lack of trained personnel available to deal with the resulting situation.

## Streptomycin.

This drug is readily available on the open market at reasonable price. Its use in Government hospitals is prohibited except on the authority of a committee formed for the control of the use of the drug. Each case is assessed on its merits and ample supplies are available for approved cases free of charge.

(Sgd.) A. S. Moodie, M.O. in-charge T.B. Clinic.

# ANNEXURE G. REPORT OF INFANT MORTALITY INVESTIGATION COMMITTEE.

#### Director of Medical Services.

In March 1948, you appointed a Committee consisting of Dr. Lee Hah Liong as Chairman, Dr. R. K. W. Yang, Dr. K. T. Loke and Dr. Uttley as Secretary, to investigate the causes of Infant Mortality and to make recommendations for the reduction of the high mortality rate.

Right from the beginning of the investigation, it was evident that there would be considerable difficulties in getting enough scientific data on which to base any conclusions. To collect any valid group of data would take two to three years. based on statistical evidence alone may be misleading, unless the numbers are sufficiently large, properly collected, and carefully and logically used. Although information such as could be supplied by the two best hospitals in the Colony, the Queen Mary and Kowloon Hospitals, might be useful, it was realised that cases going there are not necessarily the type of cases that the Committee wanted to investigate, and it was also felt that such cases were not a true cross section of the population with which the Committee was concerned. On the other hand, charity hospitals have plenty of good material, but no records. The above mentioned difficulties prevented any statistical survey being made and the Committee adopted a more practical method namely the interviewing of doctors and the investigation of post-mortem records and death certificates. Even with these limitations, it is the Committee's opinion that their recommendations are based on the actual prevailing conditions.

The Committee met a number of times and interviewed doctors and other workers when the following facts were brought to light:—

(a) A steady fall in infant mortality had taken place from 660 per 1,000 in 1929 to 120 per 1,000 in 1947.

We believe that the following influences have been at work over the years which will tend to modify conclusions:—

- (1) Improvement in the standard of living and in the wage earning power of the poorer classes.
- (2) Better supervision in the public health services in recent years.
- (3) A steadily improving accuracy in the returns of births and deaths especially in later years.
- (4) Better appreciation of food values. Beri-beri, which used to take such a heavy toll of infant lives, is not commonly seen nowadays.

- (b) The main killing diseases in order of their importance are:—
  - (1) Bronchopneumonia which is the cause of half of the mortality at these ages.
  - (2) Gastro-enteritis.
  - (3) Prematurity.

The Committee feels, however, that these names are labels rather than accurate diagnosis. In an interview with one of the doctors, we discovered that most of the infants at an institution accepting moribund babies were given the diagnosis of prematurity without sufficient scientific evidence to confirm the diagnosis. We feel that this applies to many other cases as well.

- (c) Other diseases which influence the high mortality are:—
- (1) Tuberculosis. This is another important factor in the high mortality rate. This is to be expected in a society where the tuberculous infection is so prevalent. In addition, we feel that many cases that die, and are certified as marasmus, malnutrition, unspecified meningitis and bronchopneumonia were due to tuberculosis.
- (2) Syphilis. It was agreed that syphilis is a major indirect cause of death in the case of prematurity, miscarriages and abortions. Doctors emphasized the fact that, for obvious reasons, congenital syphilis was not commonly given as a cause of death on certificates.
- (d) The following are important general factors in the high infantile mortality rate:—
- (1) Overcrowding, bad ventilation and sanitation, and poverty.

These factors, which were found to have a great bearing on the high mortality rate in all big overcrowded cities in England some fifty years ago, are very much worse in Hong Kong today.

(2) Belief in aged and harmful customs, superstitions and Chinese medicine:

The importance of these cannot be overestimated. The great majority of the poor, and to a lesser extent the rich, when a child is ill, either seeks the advice of a friendly neighbour, or rushes straight to a Chinese medicine shop to accept the advice of the man behind the counter, or consults a herbalist and many womenfolk seek temple advice. It is only late in the course of the disease that a western trained doctor is consulted. There is still a wide belief that Chinese medicine is good for internal diseases, especially for measles, bronchitis and influenza.

## (3) Ignorance of the importance of fresh air:

The majority of Chinese do not realise the value of fresh air, either in health or sickness. They do not ventilate their rooms Whenever there is sickness in the family, especially with fever, all windows are immediately closed and the patient is covered with layers and layers of clothes and blankets. All practitioners are familiar with the picture that is associated with the physical examination of a baby. If there is any window or door that is open, it is immediately fully closed. There is no such thing as taking off the clothes so that the doctor may make a thorough examination. The great heaps of clothes are merely pulled outwards and a little upwards and the doctor has to slip his stethoscope way up in order to listen to the chest. Any part of the abdomen that is uncovered by such a procedure, is immediately covered by the anxious mother or amah. They fear the exposure and the catching of a cold. Further, in such diseases as measles, whooping cough, and bronchopneumonia, where fresh air and oxygen form an essential part of western treatment it is contra-indicated in Chinese therapeutics. One can understand their objections to direct draught, but to prevent draught is one thing and to stop entirely fresh air from entering the sick room is another. This single factor is one of the most important causes of respiratory diseases, directly or indirectly.

## (4) Improper feeding:

There is an increasing tendency among the upper classes to substitute artificial feeding for breast feeding. Mothers of the poorer class, however, are quite eager to suckle their offspring, but, through force of circumstances, have to give up entirely or give partial feeding only. As cows' milk in any form is beyond their means, starch, congee or potatoes are given as early as two to three months of age, very often with mouth to mouth feeding or by premastication by the mother. Of those that have breast milk, over-feeding in the early months is common, and breast feeding is frequently carried on for unduly prolonged periods, sometimes for much longer than one year. Improper feeding undoubtedly is an important cause of gastroenteritis.

# (5) Female Labour.

This causes the mother to discontinue breast feeding and to neglect the baby.

# (6) Over-clothing.

With the exception of the very poor who are under-clothed in winter, most Chinese tend to over-clothe their babies in all seasons.

# (7) Excessive fondling and carrying of the baby.

This occurs both in health and in sickness. The popular conception among the Chinese is that too much crying may produce a hoarse voice which may last throughout life. It may weaken the abdominal wall and produce umbilical hernia. What is most

feared is that it may even produce a lax or enlarged scrotum which is considered injurious to the future health of the male. In a place like Hong Kong where tuberculosis and other respiratory diseases are so prevalent this excessive carrying of babies in the arms is very conducive to the spread of these diseases.

## (8) Notification of Infectious Diseases.

It must be pointed out that there are many cases of bronchopneumonia following measles, and these usually are brought to a western trained doctor late in the course of the disease, because of the fear of the health measures that may follow the notification of the disease. The same applies to complications of other infectious diseases.

## (9) Anaemia of Pregnant Mothers.

It is estimated that 20% of the ante-natal cases at Tsan Yuk Hospital have anaemia. This is due to the restriction of diet, especially during the last three months of pregnancy, and is caused by (a) ignorance, (b) custom, (c) poverty and (d) vomiting of pregnancy. The bad custom of completely eliminating vegetables at this period, for fear of developing diarrhoea with consequent onset of premature labour is most injurious.

## (10) Malnutrition in infancy.

This is still considered by some to be common, but it is a general malnutrition rather than one connected with any particular vitamin.

#### RECOMMENDATIONS.

## I. Propaganda and Education.

While improvements in housing, sanitation and the standard of living take time, propaganda and education emphasising the following can be undertaken forthwith.

- (1) The value of fresh air and proper ventilation.
- (2) Personal habits and hygiene.
- (3) The importance of breast feeding.
- (4) Proper methods of infant feeding.
- (5) The erroneous belief in the efficacy of Chinese medicine.

Unlike western medicine which has advanced by leaps and bounds during recent years, Chinese medicine, not only has made no progress but actually has retrogressed. Although it may not be advisable, at this juncture, to speak directly of the error of the belief in Chinese medicine and the dangers associated with herbalist practice, we could achieve our aim by making known to the Chinese public the recent advances of western medicine, emphasizing the preventives and specific curatives which we

now have, especially for diseases such as bronchopneumonia, miliary tuberculosis, diphtheria and measles. Bronchopneumonia and miliary tuberculosis at present, cause about half the mortality in infancy. We should also emphasize the importance of bringing the baby early to the doctor in cases of illness. The Death certificates of 1947 show that only  $2\frac{1}{2}\%$  had been seen by the doctor for more than one day prior to death.

- (6) To implement No. (5) above, we advise, (a) the registration of herbalists, as has been done in China, (b) the control of their advertisements in the Chinese press.
- II. Education and Propaganda through the following channels:—
  - (1) Through boys and girls of school leaving classes; and in the case of girls, special attention to be paid to the art of mothercraft.
  - (2) Through regular home visits to the new-born by trained nurses or health officers for a certain period.
  - (3) Through lectures and films on street corners.
  - (4) Through ante-natal clinics, infant welfare centres, children's clinics, children's hospitals, and other social, charitable or educational institutions.
  - (5) Through midwives and private nurses.
- III. To Provide Facilities for the care of babies through the Establishment of
  - (1) Ante-natal clinics.
  - (2) Infant Welfare Centres.
  - (3) Creches.
  - (4) Children's Clinics.
  - (5) Children's Hospitals. The Committee feels that the number of children's beds available in the Colony is hopelessly inadequate, and that the building of a children's hospital should be given first priority—at least it should take precedence over the building of a mental hospital.
- IV. Co-ordination of all aspects of child health work—educational, preventive and curative, and the Provision of facilities for the training of staff for this work.
- V. Infectious diseases and their notification.

Except for the more important infectious diseases such as cholera, smallpox and one or two others, the Committee felt that it was unwise to insist on the routine health measures normally enforced by the health authorities consequent on the notification of the diseases. These measures defeat their own purpose by making the great majority of Chinese refuse to go to a western trained doctor until it is too late for him to cure the disease.

#### VI. Tuberculosis.

The Committee recommends that this disease should be notifiable, but that no action be taken by the Health Department even for 'open cases'. It may be left to the practitioner if he takes upon himself the duty, to use his personal influence with the patient to point out to him the dangers of infecting others, especially babies and small children, and to advise him to take precautionary measures.

Except with the poorest class, most of the babies of Chinese families are taken care of partly or entirely by amahs. They have the closest contact with the babies and handle all their food. The importance of these amahs being carriers of diseases, especially tuberculosis cannot be over-estimated. Some means may be devised to educate these amahs in personal habits and hygiene, infant feeding and the care of babies, and to induce their employers to have them checked up before engaging them for babies.


Lee Hah Liong, Chairman,

Infant Mortality Investigation Committee.

ANNEXURE H.

RESULTS OF MEDICAL INSPECTION OF PUPILS.

	Admitted to Hospital		1	Н	0.01%	ļ	ļ	1	1		.004 %	
	Treatment at Anti-tuber-culosis Clinics			13	0.14%	13	% 60.0	1	1	26	0.1%	
ing Attentior	Treatment at Surgical Clinics		1	10	0.11%	15	0.1%	1	1	25	0.1%	
upils with Defects Requiring Attention	Treatment at Ear, Nose and Throat Clinic	29	2.63%	152	1.73%	298	2.16%	4	1.41%	483	2.02%	
pils with De	Treatment at Dental Clinics	124	11.25 %	2.067	23.66%	4.531	32.96%	94	33.21%	6.816	28.56%	
Number of Pu	Treatment at Eye Clinics	92	% 68.9	1,038	11.88%	200	5.09%	30	10.6%	1.844	7.72%	
Z	Treatment at General Clinics	92	% 68.9	1.615	18.48%	4,001	29.11%	96	33.92 %	5.788	24.25 %	
	Observa- tion	613	55.62%	4,594	52.58%	6.346	46.17%	195	%6.89	11.748	49.22%	
	Number of pupils with no apparent defect	309	= 28.03 %	1,898	=21.72%	2,890	=21.02%	78	=27.56%	5.175	=21.68%	
	Number of medical inspections undertaken	1,102		8.736		13,744		283		23,865		
	Schools	"A' type	ii ro	"B' type	=21	'C' type	=52	'D' type	2	Total	= 80	



ANNEXURE H.

DEFECTS FOUND IN SCHOOLS.

							Details of D	efects found				
Schools	Number of school premises inspected	Number found with defects	Ventila- tion	Lighting	Latrines	Doors & Windows	Black- boards not matt surfaced	Water Closets	Windows	Seats without backrests	White washing required	General repair required
Government	16	8			2	1	7	2	3	2	1	3
Grant-Aid	19	11			8			7		1		1
Subsidized Hong Kong	26	6			3	1		1		2		1
Subsidized Kowloon	11	2			1		_	1		_	_	_
Private Hong Kong	144	23			11	1	_	4	2	1	1	5
Private Kowloon	126	18	1		3	1	2	5	1	4	1	7
TOTAL	342	68	1		28	4	9	20	6	10	3	17



ANNEXURE 1.
OUT-PATIENTS—1948

TOTAL ATTENDANCES AT GOVERNMENT AND GOVERNMENT ASSISTED HOSPITALS, CLINICS AND DISPENSARIES.

JATOT	14,089 119,956 157,105 10,776 43,168 9,869	9,426 88,843 155,768 364,080 105,882 5,602 11,842 7,396 1,488	1,332 3,514 3,137	1,113,273 120,037 63,628	1,296,938
-itnA sisoluoreduT		88,843   507   8883   -		90,233	90,233
Ear, Nose & Throat	597   303   1,746			2,646	2,646
EVE	1,049   18,849   24,606   —	503		45,007 6,841	51,848
Social Hygiene	2,092	155,768		157,860	157,860
Gynaecological	384   1,492   967   —	9,235	720   2,425   2,278	17,501   4,556   15,376	37,433
Post-Natal	859			859   678	1,537
IstsV-9inA	1,477 6,293 1,487 10,776		612 1,089 859	22,609 4,344	26,953
Babies Clinics	526	45,304		46,291 23,401 3,792	73,484
General strients	62,180 81,396 18,178 6,394	7,675 7,675 238,274 54,292 5,602 8,157 6,590 1,152		489,890 61,152 39,438	590,480
Dressings	25,145 46,903 22,180 2,898	1,248 		23,733	246,007
SaitlieuseD	10,582 4,835 — 718	1,931		18,103	18,457
Institution	Hospitals:— Queen Mary Kowloon Sai Ying Pun Tsan Yuk Stanley Prison Cheung Chau	Clinics & Dispensaries:— Violet Peel Harcourt Tuberculosis Social Hygiene 9 Public Dispensaries 12 New Territories Disps. Family Clinic Police Medical Post Victoria Remand Prison Matauchung Camp	Health Centres:— Western Kowloon (Tsimshatsui) Harcourt	Total of Govt. institutions Tung Wah Group Nethersole Hospital	Grand Total

-- 84 --

ANNEXURE I.

OUT-PATIENTS—1948

NEW CASES AT GOVERNMENT & GOVERNMENT ASSISTED

HOSPITALS, CLINICS & DISPENSARIES.

JATOT	10,228 68,522 80,754 5,540 17,200 5,129	4,622 26,420 14,217 218,684 48,653 6,187 2,747 1,114	490 908 1,170	513,543 49,383 18,727	581,653
Anti- Tuberculosis		26,420 170 307		26,897	26,897
Ear, Nose & Throat	313   162   704			1,179	1,179
ΕΛ6	372 6,717 3,981	281		11,351	13,242
Social Hygiene	28	14.217		14,245	14,245
Gynaecological	190   617   532   -	4,029	313   521   840	7,042   2,209   5,059	14,310
Post-Natal	909			606	1,284
IstsV-9tnA	262 1,610 614 5,540		177   387   330	8,926	10,665
Babies Clinics	282	28,302		28,772 11,320 1,218	41,310
General Streits -tuO	50,292 57,008 7,240 3,572	3,957 124,061 31,612 31,612 2,502 1,941 878		284,021   25,876   10,033	319,930
Dressings	3,683 17,915 9,214 1,234	384 62,122 15,348 3,685 806 236		114,627   7,733	122,360
SaitlieusaD	9,091 4,835 — 718	1,198		15,877 354	16,231
Institution	ospitals:— Queen Mary Kowloon Sai Ying Pun Tsan Yuk Stanley Prison Cheung Chau	linics & Dispensaries:— Violet Peel Harcourt Tuberculosis Social Hygiene 9 Public Dispensaries 12 New. Territories Disps. Family Clinic Police Medical Post Victoria Remand Prison Matauchung Camp	ealth Centres:— Western Kowloon (Tsimshatsui) Harcourt	Total of Govt. institutions Tung Wah Group Nethersole Hospital	Grand Total

ANNEXURE I.

IN-PATIENTS TREATED IN GOVERNMENT AND

GOVERNMENT ASSISTED HOSPITALS 1948.

	1	2	3	4	5	6
Name	General Cases	Infectious Cases Other Than Tuberculosis	Tuberculosis	Maternity	Mental Cases	TOTAL I-V
Queen Mary Hospital	5,789	144	353	760	53	7,099
Sai Ying Pun Hospital	281	274	$\begin{vmatrix} 2 \end{vmatrix}$		_	557
Tsan Yuk Hospital	714		9	5,267		5,990
Eastern Maternity Hospital	_			1,901	_	1,901
Wanchai Social Hygiene Hospital	623		   	<u> </u>	_	623
Mental Hospital				—	482	482
Kowloon Hospital	3,520	49	93	1,352	11	5,025
Lai Chi Kok Hospital	725	260	339		_	1,324
Cheung Chau Hospital	659	4	69	317	_	1.049
Felix Villas			77	_		77
North Point Camp	268	1	3	_		272
Stanley Prison Hospital	557	216	42	i	3	818
Total Government Hospital	13.136	948	987	9,597	549	25,217
New Territories Dispensaries	20		1	1,323	<u> </u>	1.344
Tung Wah Group	15.210	343	1,906	11,437		28,896
Nethersole		46	145	1.144	 	4,376
Grand Total	31 407	1,337	3,039	23,501	549	59,833

ANNEXURE J.

ASSISTED HOSPITALS AND TOTAL DEATHS IN THE COLONY. CASES TREATED IN GOVERNMENT AND GOVERNMENT

; 1947	Female	2	22	1		İ	22
Deaths,	5[s]V[		39	,			39
, 1948	Female		30	1	1:11	Ī	30
Deaths, 1948	. əl <b>s</b> M		39			1	40
ated, 1948	dovernment betsizsA slatiqzoH		139	10		1	149
Cases Tre	Government Hospitals		119	4			123
	Diseases	I.—Infective & Parasitic Diseases.	Typhoid fever	Paratyphoid fevers	Plague:—  (a) Bubonic, septicaemic and secondary pulmonary plague (infection by fleas or other biting insects)  (b) Primary pneumonic plague (infection through respiratory tract)  (c) Unspecified plague	Cholera	Carried forward

	Cases Tre	Treated, 1948	Deaths, 1948	3, 1948	Deaths, 1947	., 1947
Diseases	Government Hospitals	Government Government Assisted Elasistals	Male	Female	Male	<u>ғ</u> 'ета?е
Brought forward	123	149	40	30	39	22
Undulant fever (Brucellosis):—  (a) Infection by Brucella melitensis  (Melitococcus)  (b) Infection by Brucella abortus Bang  (c) Unspecified				-		
Cerebro-spinal meningococcal meningitis	20	13	. 10	6	74	63
Malignant pustule and anthrax (Bacillus anthracis):—  (a) Malignant pustule (b) Septicaemic and visceral anthrax (c) Unspecified anthrax				1   1	111	• •
Scarlet fever Whooping-cough Diphtheria Erysipelas Tetanus	$1 \\ 13 \\ 109 \\ 2 \\ 37$		26 2 51	23 1 19	3 24 31	28 1 1 16
Carried forward	335	185	129	82	1.71	131

			1			
	Cases Tre	Treated, 1948	Deaths,	s, 1948	Deaths.	s. 1947
Diseases	Government Hospitals	Government Assisted ElstigsoH	əlsM	<u> គ</u> .emale	Male	<b>Г</b> етаlе
Brought forward	335	185	129	82	171	131
Tuberculosis of the respiratory system (including mediastinal glands):— (a) With mention of occupational disease of lung (b) Without mention of occupational disease of lung (c) Tuberculosis of unspecified site	989	 1,178 540	864	 571 1	887	531
Tuberculosis of the meninges and central nervous system:—  (a) Meninges (b) Other sites	84	122 59	190 —	157	137	127
Tuberculosis of the intestines and peritoneum (including mesenteric and retroperitoneal glands):— (a) Intestines (b) Other sites	8 19	16	1 17	င္ တ	ى ى	1 6
Tuberculosis of the vertebral column	49	22	3	4	5	4
Carried forward	1,489	2,124	1,211	829	1.211	801

				•		
	Cases Trea	Treated, 1948	Deaths.	s, 1948	Deaths,	3, 1947
Diseases	Government slatigsoH	Government Assisted SlatigsoH	əlsM	Female	Male	<u>F</u> emale
Brought forward	1,489	2,124	1.211	829	1.211	801
I.—Infective & Parasitic Diseases,—Contd.						
Tuberculosis of the bones and joints (excluding vertebral column):—  (a) Bones (except vertebral column)  (b) Joints	16 43	23	e 9	m	4	l c
Tuberculosis of the skin and subcutaneous cellular tissue	ಬ	63		1	1	
Tuberculosis of the lymphatic system (excluding mediastinal (13), mesenteric and retroperitoneal (15) glands)	42	29	4	∞	က	
Tuberculosis of the genito urinary system	20	2	23	1	Н	Н
Tuberculosis of other organs:—  (a) Addison's disease specified as tuberculous  (b) Others	9	00			₩ —	
Carried forward	1.622	2.223	1.227	841	1.223	807

	Cases Treated	1048	Deaths	1948	Deaths	1947
	- 1		Deam	- 1		- 4
Diseases	Government Hospitals	Government Assisted Hospitals	Male	Female	Male	Female
Brought forward	1.622	2,223	1,227	841	1.223	807
I.—Infective & Parasitic Diseases,—Contd.						
Disseminated tuberculosis:—						
(a) Acute generalized miliary tuberculosis (b) Chronic generalized tuberculosis	. 13	900	38 4 19	27 7 9	16 16 46	19 10 28
Leprosy	19	∞		-	1	1
Purulent infection and septicaemia (not associated with pregnancy, childbirth or the puerperium):— (a) Septicaemia (b) Pyaemia (c) Gas gangrene (d) Generalized infection by Bacillus coli	L2   23		10 1- 1 21	9	98	5
Gonococcal infections (all sites)	465	9	İ	ĺ	J	1
Other bacterial diseases (dysentery excepted):— (a) Glanders (b) Tularaemia (c) Others						
Carried forward	2.132	2,293	1.301	868	1.310	870

	Cases Trea	ated, 1948	Deaths,	1948	Deaths,	s, 1947
Diseases	Government Rospitals	dovernment besizza zlasi <b>q</b> zoH	Male	<u> Е</u> єшчје	Male	Ł,emsje
Brought forward	2.132	2.293	1.301	868	1.310	870
Dysentery:—  (a) Bacillary dysentery  (b) Amoebic dysentery  (c) Other protozoal dysentery  (d) Other or unspecified forms of dysentery	35   59   2	18	∞ m   m	21 72	1 7 9	
Malaria:— (a) Benign tertian (b) Quartan (c) Tropical (malignant) tertian (including blackwater fever) (d) Other or unspecified malaria	127 10 62 143	90 2 204 281	9 1 29 91	2 10 48	1 1 120	3  12 94
Other diseases due to parasitic protozoa (except spirochaetes)	4		₩.	1		P
Syphilis:—  (a) Locomotor ataxia (tabes dorsalis)  (b) General paralysis of the insane	45 72 16	95	23.22	m	n o o	H H 4
Carried forward	2,621	2.975	1.476	975	1.496	989

Diseases   Diseases   Cases Treated, 1948   Deaths, 1948   Deaths, 1948   Diseases   D							
Diseases  Brought forward  of syphilis:  of sphilis:  of the circulatory system aneurysm of the aorta)  use-borne (Sp. obermeieri)  by other vectors (Sp. duttoni)  by other vectors (Sp. duttoni)  c. to spirochaetes:  c.		1		Death		Deaths,	s, 1947
Parasitic Diseases,—Contd.         2.621         2.975         1,476         97           of syphilis:— tal syphilis:— tal syphilis:— of the acreal paralysis of the acreal paralysis of the acreal paralysis of the acreal paralysis of the acreal paralysis.— aneurysm of the acrta)         57         61         24         1           of the circulatory system aneurysm of the acrta)         2         27         -         -         -           uspecified forms of syphilis:— by other vectors (Sp. duttoni)         -         -         -         -         -           e. to spirochaetes:— bis icterohaemorrhagica (Weil's is icterohaemorrhagica (	Diseases	Government Hospitals	Assisted	Male	· Female	Male	Female
of syphilis:— tal syphilis: tal		2,621	2,975	1,476	975	1,496	686
of syphilis:— tal syphilis:— tal syphilis:— of nervous system (except and general paralysis of the of the circulatory system of the aorta)  of the circulatory system aneurysm of the aorta)  r unspecified forms of syphilis:—  use-borne (Sp. obermeieri) by other vectors (Sp. duttoni) by other vectors (Sp. duttoni)	nfective & Parasitic Diseases,—Contd.						
of the circulatory system of the aorta)  r unspecified forms of syphilis  by other vectors (Sp. duttoni) by other vectors (Sp. duttoni)	- 18 system	57	61	24	17	23	. 22
aneurysm of the aorta)  r unspecified forms of syphilis  by other vectors (Sp. duttoni)  by other vectors (Sp. duttoni)  e. to spirochaetes:— sis icterohaemorrhagica (Weil's  Carried forward  3.083 3.178 1.510	tabes and general paralysis insane)	10	6	ıc	2	ıc	t
use-borne (Sp. obermeieri)       —       —       —       —         by other vectors (Sp. duttoni)       —       —       —         e. to spirochaetes:—       —       —       —         sis icterohaemorrhagica (Weil's is icterohaemorrhagica)       —       —       —         Carried forward       3.083       3.178       1,510	•	390	27 104	ا تن		L1 41	
(Weil's	use-borne by other					9	111
3.083 3.178 1,510			1		1-1		
	Carried forward	3.083	3.178	1,510	995	1,535	1,015

	Cases Tre	Treated, 1948	Deaths,	. 1948	Deaths,	s, 1947
Diseases	Government Rospitals	Government Sasisted slatiqaed	Male	Female	Male	Female
Brought forward	3,083	3,178	1.510	995	1,535	1,015
Influenza:—  (a) With respiratory complications specified  (b) Without respiratory complications specified	11 74	204	13.2	10	132	18
Smallpox:— (a) Variola major (b) Variola minor (alastrim) (c) Unspecified	1	.   ;		63	65	64
Weasles	124	63	44	2	4	4
Acute poliomyelitis and polioencephalitis	9	2		2	က	Î
Acute infectious encephalitis (lethargic or epidemic):— (a) Acute lethargic (or epidemic) encephalitis (b) Sequelae of encephalitis lethargica (Parkin-		44 ⋅		,	1	
syndrome) syndrome) syndrome) (c) Unspecified encephalitis lethargica	H 44		1	1 1	Ţ	
Carried forward	3,310	3,390	1.530	1.011	1,623	1,103

hs, 1947	Female	1,103	4			;	1,112
Deaths,	Male	1.623			က		1,626
s, 1948	Female	1.011		-	15		1.031
Deaths,	Male	1,530	[	i	6		1,540
Treated, 1948	Government Assisted slatiqsoH	3,390	<b> </b>	·	177		3,570
Cases Tre	Government Rospitals	3.310		H 4-1	53	1 1	3.481
	Diseases	Brought forward	Other diseases due or attributed to viruses:—  (a) Yellow fever (b) Rabies (c) Herpes zoster (Zona) (d) German measles (e) Varicella (Chicken pox) (f) Others	Typhus and typhus-like diseases (Rickettsioses):— (a) Louse-borne exanthematic typhus (b) Typhus-like diseases transmitted by other vectors (c) Other and unspecified typhus-like diseases	Ankylostomiasis Hydatid diseases:—	(a) Hydatid disease of liver (b) Hydatid disease of other and unspecified organs	Carried forward

d. 1948 Deaths, 1948 Deaths, 1947	Government Assisted Hospitals Male Female	3,570 1,540 1.031 1,626 1.112	300 3 - 2			$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3.910 1.580 1.061 1.652 1.127
Cases Treated.	Government slatiqzoH	3,481	157	25.00		1 1 26	3,720
	Diseases	Brought forward	Other diseases due to helminths	Other infective or parasitic diseases:—  (a) Venereal diseases (other than syphilis and gonorrhoea)  (b) Pernicious lymphogranulomatosis (Hodgkin's disease)  (c) Mumps  (d) Other infective or parasitic diseases	II.—Cancer and other Tumours.	Cancer and other malignant tumours of the buccal cavity and pharynx:—  (a) Lips (b) Tongue (c) Other and unspecified sites	Carried forward

Cases Treated, 1948 Deaths, 1948 Deaths, 1947	Government Hospitals Hemale Wale Female	3,720 3,910 1,580 1,061 1,652 1,127	the diges- the diges-  the diges-  the diges-  the diges-  1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	Diseases Government Hospitals	Brought forward	Cancer and other Tumours,—Contd.  Indoorher malignant tumours of the digesans and peritoneum:—  ophagus mach & duodenum er and biliary passages creas itoneum  or other malignant tumours of the ory system:—  ynx and trachea nchi, lungs and pleura pecified respiratory organs  nd other malignant tumours of the ory system:—  ory system:—  ynx and trachea nchi, lungs and pleura	uterus:— (a) Cervix uteri (b) Other or unspecified sites	

	Cases Trea	Treated, 1948	Deaths,	, 1948	Deaths,	, 1947
Diseases	Government Hospitals	JnammravoD Asisised SlatiqsoH	Male	Female	əlsM	<b>Е</b> етаlе
Brought forward	3,920	4,303	1,699	1,253	1.749	1,282
Cancer and other malignant tumours of other or unspecified organs:—  (a) Adrenal glands (b) Bones (c) Thyroid gland (d) Other and unspecified organs	11132	1   26	l co 4 r		1   12	∞
Non-malignant tumours (including dermoid cysts):—  (a) Ovaries (b) Uterus (c) Other female genital organs (d) Brain and other parts of the nervous system (e) Other and unspecified organs	54 13 3 81	40 30 1 12				∞ –     ∞
Tumours of undetermined nature:—  (a) Ovaries (b) Uterus (c) Other female genital organs (d) Brain and other parts of the nervous system (e) Other and unspecified organs	02244	11			1   2	
Carried forward	4,153	4.489	1,713	1,272	1,760	1,296

	Cases Treated,	ited, 1948	Deaths,	3, 1948	Deaths,	1947
Diseases	Government slatiqsoH	Government Assisted slatiqsoH	Male	Female	Male	<b>F</b> ennale
Brought forward	3.847	4.190	1,690	1,220	1,736	1,248
II.—Cancer and other Tumours,—Contd.						•
Cancer and other malignant tumours of other female genital organs	10	47	1	23.5		21
Cancer and other malignant tumours of the male genital organs:—  (a) Scrotum  (b) Prostate  (c) Other or unspecified male genital organs	ted hed hed	4	1 62	111	65 67	
Cancer and other malignant tumours of the male and female urinary organs  Cancer and other malignant tumours of the skin (scrotum excepted—51a)	C1		S S	7 7	n 0	<del>~</del> ∞
Cancer and other malignant tumours of the brain and other parts of the nervous system:— (a) Glioma (not specified as benign) (b) Sarcoma (c) Other and unspecified malignant tumours	01-100	C	2		1 2	
Carried forward	3,920	4,303	1,699	1,253	1.749	1.282

	Cases Treat	ated, 1948	Deaths,	. 1948	Deaths,	, 1947
Diseases	Government slatiqsoH	Government Salatied Rospitals	Male	Ł'emale	Male	<b>L</b> emale
Brought forward	4,153	4,489	1,713	1,272	1,760	1.296
III.—Rheumatism, Diseases of Nutrition and of the Endocrine Glands, Other General Diseases and Vitamin deficiency Diseases.						
Rheumatic fever:—  (a) Acute rheumatic pericarditis  (b) Acute rheumatic endocarditis  (c) Acute rheumatic myocarditis  (d) Other forms, including acute articular rheumatism and rheumatic pleurisy	wr-  0	22   22	22	10 2	w   4	6 9
Chronic rheumatism and other rheumatic diseases:—  (a) Rheumatoid arthritis (a) Chronic rheumatic polyarthritis (b) Arthritis deformans (c) Others (d) Other forms of chronic articular rheumatism (e) Other forms of chronic rheumatism (f) Other forms of chronic rheumatism (g) Other forms of chronic rheumatism (g) Other forms of chronic rheumatism	25   4   21   8	154 96 31		'		.
Gout		Į			Quidanne .	
Carried forward	4,228	4,887	1.718	1,280	1,769	1,316

	Cases Trea	sated, 1948	Deaths,	, 1948	Deaths,	s, 1947
Diseases	Government Rospitals	Government Assisted slatiqsoH	Male	<b>ң</b> етаде	Male	<b>F</b> emale
Brought forward	4.228	4.887	1.718	1.280	1.769	1,316
III.—Rheumatism, Diseases of Nutrition and of the Endocrine, Glands, Other General Diseases and Vitamin deficiency Diseases,—Contd.						
Diabetes mellitus Diseases of the pituitary gland	13	19	111	9	12	27
Diseases of the thyroid and parthyroid glands:—  (a) Simple goitre  (b) Exophthalmic goitre  (c) Myxoedema and cretinism  (d) Other diseases of the thyroid gland  (e) Diseases of the parathyroid glands	33 33 1	10   20				2
Diseases of the thymus, including hypertrophy (status lymphaticus)	H	1	1	1	1	ļ
glands (not des						
	9	-			1 1	1 1
Carried forward	4.317	4.923	1.729	1,295	1,781	1.320

(	Cases Tre	Treated, 1948	Deaths, 1948	, 1948	Deaths,	3, 1947
Diseases	Government Hospitals	Government Sasistad slatiqaoH	Alale	<b>F</b> emale	əlaM	Ł <sub>'</sub> emale
Brought forward	60.1	4.923	1.729	1.295	1.781	1,320
Other general diseases:—  (a) Osteomalacia  (b) Other general diseases	्री स्तर्भ		25	17	39	23
Scurvy:— (a) Infantile scurvy (Barlow's disease) (b) Other forms	ادا		i			2
Beri-beri Pellagra Rickets Other vitamin-deficiency diseases	861-14	112 6 — 16	20	20	184	128
IV.—Diseases of the Blood and Blood-Forming Organs.		,				
Haemorrhagic conditions:—  (a) Primary purpura  (b) Haemophilia  (c) Other and unspecified haemorrhagic conditions	4- 0	r   ا	1 1 2	1 3		67
Carried forward	4,365	5.061	1.827	1.387	2.008	1.478

s, 1947	Female	1,478			\	-	1,503
Deaths,	Male	2,008	2     19		18	23	2,050
3, 1948	<b>F</b> emale	1,387	4     1		1   9		1,406
Deaths,	əlsM	1,827	.c.  ∞	L	10		1,860
 Treated, 1948	Government Assisted SlatiqsoH	5,061	82 6 — 185	H 4	1 34	∞	5,382
Cases Tre	Government slatiqzoH	4,365	302   2	6	31		4,443
	Diseases	Brought forward  IV.—Diseases of the Blood and Blood-Forming Organs,—Contd.	Anaemias (excluding splenic anaemia—75a):—  (a) Pernicious anaemia  (b) Other hyperchromic anaemias  (c) Hypochromic anaemias  (d) Other and unspecified anaemias	Leukaemias and aleukaemias:—  (a) Leukaemia  (b) Aleukaemia	Diseases of the spleen:—  (a) Splenic anaemia (b) Banti's disease (c) Other diseases of the spleen	Other diseases of the blood and blood-forming organs:— (a) Agranulocytosis (b) Erythrocytosis (c) Haemoglobinaemia (d) Other diseases	Carried forward

	1948 Deaths, 1947	Female Female	1,406 2,050 1,503				1,406 2,051 1,504
	Deaths,	Male	1.860	-			1.861
Treated, 1948		Government Sestingent Sestingents	5,382	2	1 1	rv ww   61	5,397
	Cases Tre	Government Hospitals	4.443	41 14 14	₽ ₽	42	4,549
		Diseases	Brought forward	Chronic or acute alcoholism (ethylism):—  (a) Acute alcoholism (b) Chronic alcoholism (c) Unspecified alcoholism	Lead poisoning:—  (a) Specified as occupational  (b) Not specified as occupational	Chronic poisoning by other mineral and organic substances:—  (a) Occupational poisoning (b) Poisoning by narcotic and soporific drugs:— (a) Narcotics (b) Soporifics (c) Other non-occupational poisoning (d) Unspecified poisoning	Carried forward

	Cases Tre	Treated, 1948	Deaths,	s, 1948	Deaths,	3, 1947
Diseases	Government Hospitals	Government SalsissA slatiqsoH	Male	F'emale	Male	Female
Brought forward	4.549	5.397	1,861	1.406	2.051	1.504
VI.—Diseases of the Nervous System and Sense Organs.						
Encephalitis (non-epidemic):— (a) Intra-cranial abscess (b) Other forms	ಣ∺	100		1 00	H 44	22.22
Meningitis (non-meningococcal):—  (a) Simple meningitis  (b) Acute cerebro-spinal meningitis (not due to	20	44	24	18	29	61
meningococcus)meningococcus)	42	61	1	1	1	1
Diseases of the medulla and spinal cord, other than locomotor ataxia (30a) and disseminated sclerosis (87d)	က	6	1	F	73	Ī
Intra-cranial lesions of vascular origin:—  (a) Cerebral haemorrhage (not due to injury at birth—160a)  (b) Cerebral embolism and thrombosis  (c) Softening of the brain	15	113	141	82	144	82 13
Carried forward	4,644	5.604	2.051	1.524	2,280	1,664

			A. more			
	Cases Tre	Treated, 1948	Deaths,	s, 1948	Deaths,	5, 1947
Diseases	Government Hospitals	Government Sasisted SlatigsoH	Male	<b>F</b> emale	Male	Female
WI.—Diseases of the Nervous System and Sense Organs.—Contd.	4.644	5,604	2,051	1,524	2,280	1,664
ranial lesions of vascular origin, Hemiplegia and other paralyses origin  Other intra-cranial effusions	28 5	132	13	967	1 6	9
Mental disorders and denciency (excluding general paralysis of the insane—30b):—  (a) Mental deficiency  (b) Schizophrenia (dementia praecox)  (c) Manic-depressive psychosis  (d) Other mental disorders	32 186 3 203	-110	-   - ∞	1112	52   44	27 27 4
Epilepsy Convulsions in children under 5 years of age Other diseases of the nervous system:—	33	28	വ ന	2	7.7	4 62
<ul> <li>(a) Chorea</li> <li>(b) Neuritis (non-rheumatic)</li> <li>(c) Paralysis agitans (Parkinson's disease)</li> <li>(d) Disseminated sclerosis</li> <li>(e) Others</li> </ul>	13 17 2 1 27	72 4 4 1 85	-   &	<del>                                    </del>	00     1	00
Carried forward	5.201	5,931	2,090	1.540	2,306	1,688

	Deaths, 1947	Female	1,688	1	2	w	1 2	15	1,716
		Male	2,306	1	l w	6	7.7	18	2,339
	3, 1948	<b>F</b> emale	1,540	l	w	пн	₩ <b>4</b>	16	1,570
	Deaths,	əlsM	2,090		4	9	91-	18	2,138
	Cases Treated, 1948	tnemmrevo Sassisted slatigao H	5,931	181	39	13	9 11	34	6.227
		Government Hospitals	5.201	197	27 34	H 47	67 to	5	5,474
		Diseases	Brought forward	Diseases of the organs of vision (including trachoma)  Diseases of the ear and of the mastoid process:—  (a) Otitis and other diseases of the ear without	mention of mastoid (antrum) disease (b) Diseases of the mastoid process  VII.—Diseases of the Circulatory System.		Acute endocarditis (excluding rheumatic endocarditis—58b):—  (a) Acute bacterial endocarditis  (b) Sub-acute bacterial endocarditis  (c) Other forms of acute or sub-acute endocarditis (excluding arteriosclerotic endocarditis)		Carried forward

, 1947	<b>F</b> emale	1,716		. 10	66	1-	65	9	4	1,937
Deaths, 1947	əlsM	2,339		22	57 20	m	20	∞	2	2,557
1948	<b>F</b> emale	1,570		9	72 65	24	38 25	H	2	1,805
Deaths,	Male	2,138		83	47	19	52	13		2.388
Treated, 1948	dovernment betsissA slatiqaoH	6,227		∞	227 199	26	78	<b>,</b> —	4	6,798
Cases Tre	Government slasiqaoH	5,474		24	44	ļ <del>, .</del>	. 2	9	Ī	5,555
	Diseases	Brought forward	VII.—Diseases of the Circulatory System,—Contd.	Chronic affections of the valves & endocardium:—  (a) Aortic valvular disease unassociated with mitral disease	(b) Other specified valvular disease (including sequelae of rheumatic fever)	Diseases of the myocardium, including aneurysm of the heart:—  (a) Acute myocarditis	sclerosis, and other chronic specified as rheumatic) Myocarditis not specified as	the coronary arteries and angi-	(b) Angina pectoris without mention of coronary disease	Carried forward

	Cases Tre	Treated, 1948	Deaths,	s, 1948	Deaths,	., 1947
Diseases	Government Rospitals	Government Assisted Rospitals	, əlaM	Female	Male	Female
Brought forward	5,555	6.798	2.388	1.805	2,557	1,937
VII.—Diseases of the Circulatory System,—Contd.						
Other diseases of the heart:—  (a) Functional heart disease without mention of organic lesion  (b) Heart diseases specified as rheumatic but otherwise undefined diseases of the heart	7 2 4 2 1 2 1	6 28	ro 62 63	ro	es ⊷ [	12
	23	1	Î	ļ		ı
arteries (94), renal sclerosis (13 1b) and cerebral haemorrhage (83) Gangrene Other diseases of the arteries	n 60 00	တာကက	17 2 3	112	1 2 2	7 7 7
Diseases of the veins (varices, haemorrhoids, phlebitis, etc.):— (a) Varices (b) Other diseases of the veins	58	29				
Diseases of the lymphatic system (lymphangitis, etc.)	39	15	-	H		1
Carried forward	5.787	7.058	2,422	1,824	2,575	1,956

	Cases Treat	ated, 1948	Deaths,	s, 1948	Deaths,	s, 1947
Diseases	Government Hospitals	Government Assisted Electricals	əlsM	Female	Male	Female
Brought forward	5.787	7.058	2,422	1.824	2.575	1,956
High blood pressure (idiopathic) Other diseases of the circulatory system (including hypotension)  VIII.—Diseases of the Respiratory System (Not Specified as Tuberculous).	34	9 0	9	r- 9	E	
the nasal fossactes of the nasats, including sinthe	20 79 21	33 17	.   4			
Bronchitis—  (a) Acute  (b) Chronic  (c) Not distinguished as acute or chronic	77 107 84	123 411 472	69 36 81	100 33 100	142 249 46	132 34 85
Broncho-pneumonia, including capillary bronchitis Lobar (pneumococcal) pneumonia Pneumonia (unspecified), including acute congestion of the lung	178 90 27	1,752 507 146	1.228 331 67	1.243 228 60	1,390 395 134	1,203 228 114
Carried forward	6.512	10,561	4.255	3,601	4,786	3,761

	Cases Tre	Treated, 1948	Deaths,	s, 1948	Deaths,	s, 1947
Diseases	Government Hospitals	Government Assisted slatiqsoH	Male	Female	Male	<b>L</b> ,emsje
VIII.—Diseases of the Respiratory System (Not Specified as Tuberculous),—Contd.	6,512	10.561	4.255	3.601	4.786	3.761
Pleurisy (not specified as tuberculous):— (a) Empyema (b) Other or unspecified forms of pleurisy  Congestion (chronic or unspecified), oedema, embolism, haemorrhagic infarction and thrombosis of the lungs.—	13 34	35 72	18	6 4	14 22	12
(a) Haemorrhagic infarction of the lung (including pulmonary embolism) (b) Acute oedema of the lung (c) Chronic or unspecified congestion of the lung		60	2   6	10	27   80	- L   1.0
Asthma Pulmonary emphysema	65	237	32	15	33	17
P C C C C	0 0 1 2	1 10	-   m	1 4 2	&	%
specified as occupational	35	9		ı	-	1
Carried forward	6.675	10,922	4,330	3.647	4.870	3,814

	Cases Tre	Treated, 1948	Deaths,	, 1948	Deaths,	5, 1947
Diseases	Government Rospitals	Government Government Assisted ElstiqsoH	Male	F'emale	əlsM	£emale
Brought forward	6,675	10,922	4,330	3,647	4,870	3,814
IX.—Diseases of the Digestive System.						
Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid						
vegetations):—  (a) Diseases of the teeth and gums  (b) Septic sore throat  (c) Other diseases of the pharynx and tonsils  (d) Diseases of other and unspecified sites	193 13 263 21	23 6 133 13	13	000	1033	4000
Diseases of the oesophagus	9		67	1	1	1
Ulcer of the stomach or duodenum:— (a) Stomach (b) Duodenum	114	215 30	57 80 80	11	44	24
Other diseases of the stomach (except cancer, other malignant tumours)	91	422	41	23	ro	ಣ
Diarrhoea and enteritis (under 2 years of age)	62	1.562	747	719	341	369
Carried forward	7,492	13,327	5,160	4,391	5,279	4,223

	Cases Trea	Treated, 1948	Deaths,	, 1948	Deaths,	5, 1947
Diseases	Government ElestiqsoH	Government Assisted slatiqan	əlaM	Lemale	əlaM	<b>L</b> ewsje
Brought forward	7.492	13,327	5.160	4,391	5.279	4,223
IX.—Diseases of the Digestive System,—Contd.						
Diarrhoea, enteritis and ulceration of the intestines (2 years of age and over):— (a) Diarrhoea and enteritis	385	548	159	132	279	190
(b) Ulceration of the intestines (except duodenum)	1	1	i		1	
Appendicitis	19.97	151	19	10	16	4
Hernia, intestinal obstruction:—  (a) Hernia  (b) Intestinal obstruction	23.3	95	10	25 25 25	41-	ಞರಾ
Other diseases of the intestines (including intestinal infection by B. coli):—  (a) Diverticulitis (b) Other diseases of the intestines	168	158	cc	į ¬	19	12
Cirrhosis of the liver:—  (a) With mention of alcoholism  (b) Without mention of alcoholism	22	1 99	9	12	60	13
Carried forward	8,398	14,425	5.421	4.574	5,675	4,459

	Cases Tre	Treated, 1948	Deaths, 1948	, 1948	Deaths,	3, 1947
Diseases	Government Hospitals	Government Government Assisted ElstigsoH	Male	Female	Male	Female
Brought forward	8,398	14.425	5,421	4.574	5,675	4.459
IX.—Diseases of the Digestive System,—Contd.						
Other diseases of the liver:—  (a) Acute yellow atrophy (not associated with pregnancy (144c) or the puerperium (148c)  (b) Other diseases of the liver	35	3	1 9	HH	14	m 1-
Biliary calculi	18	<del>.</del>	4	Brahama	Special Control of the Control of th	-
Other diseases of the gall-bladder and bile-ducts:—  (a) Cholecystitis without record of biliary calculi  (b) Others	29 20	8	ಣ ಣ	⊣ თ	4 0	67
Diseases of the pancreas (other than diabetes—61) Peritonitis without stated cause	4 50	45	16		30	17
X.—Diseases of the Urinary and Genital Systems (not Venereal, or connected with Pregnancy or the Puerperium).						
Acute nephritis	21	103	30	31	16	11
Carried forward	8,562	14,664	5,484	4.629	5.750	4,501

	Cases Tre	Treated, 1948	Deaths,	s, 1948	Deaths,	s, 1947
Diseases	1		əlsM	F'emale	Male	
Brought forward	8,562	14.664	5.484	4,629	5.750	4.501
X.—Diseases of the Urinary and Genital Systems (not Venereal, or connected with Pregnancy or the Puerperium),—Contd.						
Chronic nephritis:— (a) Secondary to acute nephritis (b) Arteriosclerotic kidney (c) Chronic nephritis not otherwise specified	24 32	25	3 102	93	91	99
Nephritis not stated to be acute or chronic	52	224	28	29	45	33
Other diseases of the kidneys and ureters (not connected with pregnancy):— (a) Pyelitis, pyelonephritis and pyelocystitis (b) Others	30	42	0,1	თ ⊷		∞ <del></del>
Calculi of the urinary passages:—  (a) Calculi of the kidneys and ureters  (b) Calculi of the bladder  (c) Calculi of unstated site	43 40 3	10 30 3				
Diseases of the bladder (except tumours):— (a) Cystitis (b) Other diseases of the bladder	14	48	.   67		m	
Carried forward	8.847	15,425	5,632	4,756	5,898	4,647

	Cases Tre	Treated, 1948	Deaths,	3, 1948	Deaths,	3, 1947
Diseases	Government Rospitals	Government Leovernment Sistigso A	Male	Female	Male	<b>L</b> ewsje
X.—Diseases of the Urinary and Genital Systems (not Venereal, or connected with Pregnancy or the Puerperium),—Contd.	8,847	15,425	5.632	4.756	5,898	4,647
Diseases of the urethra, urinary abscess, etc.:— (a) Stricture of the urethra (b) Others	31 28	16			F-4	11
Diseases of the prostate:— (a) Hypertrophy of the prostate (b) Others	12		n - 3	+	£ -1	1 [
Diseases of other male genital organs (not specified as venereal)	162	161	ļ	I	P	I
Diseases of the female genital organs (not specified as venereal, or connected with pregnancy or the puerperal state):—  (a) Diseases of the ovaries, Fallopian tubes and parametria  (b) Diseases of the uterus  (c) Diseases of the breast  (d) Other diseases of the female genital organs	85 246 50 44	120 734 14 45	liil	~ · · · ·		න සා ල
Carried forward	9.511	16,530	5,636	4.766	5,904	4,661

	Cases Trea	ated, 1948	Deaths,	1948	Deaths,	, 1947
Diseases	Government Rospitals	Government Safatiqso Elatiqso A	əlsM	е Тета Гета Ге	Male	Female
Brought forward	9.511	16.530	5,636	4.766	5.904	4,661
XI.—Diseases of Pregnancy, Childbirth and the Puerperal State.				10-27/00		
Post-abortive infection:—  (a) Spontaneous, therapeutic or of unspecified origin:—  (a) With mention of pyelitis  (b) Without mention of pyelitis  (b) Abortion induced for reasons other than	36	7 7 7				
therapeutic:—  (a) By the woman herself  (b) By other persons  (c) By persons unknown or unstated	21	111				11 ]
Abortion without mention of septic conditions:—  (a) Spontaneous, therapeutic or of unspecified						
(a) With record of haemorrhage, trauma or shock	10	Ī	-	4		23
or shock	98	39	i	2	Company	
Carried forward	9.646	16.572	5.636	4.773	5,904	4,664

	Cases Tre	Treated, 1948	Deaths,	5, 1948	Deaths,	3, 1947
Diseases	Government Rospitals	Government Assisted Hospitals	Male	F'emale	Male	Lemsje
XI.—Diseases of Pregnancy, Childbirth and the Puerperal State,—Contd.	9.646	16.572	5.636	4.773	5,904	4,664
(b) Abortion induced for reasons other than therapeutic	32	406	Ì		Ī	1
(a) By the woman herself	1   1					
Ectopic gestation:—  (a) With mention of infection  (b) With mention of haemorrhage but not of infection	2 11	36	1 1	П 4		⊢ ω,
Haemorrhage of pregnancy:—  (a) Haemorrhage from placenta praevia  (b) Haemorrhage from premature separation of	13	∞	-	<b>-</b>	1	ਰਾ ਨ
placenta and other accidental haemorrha during pregnancy (except with abortion 141)	20	88	Î		1	[
(c) Other and unspecified haemorrhages of pregnancy	80	2		1-		8
Carried forward	9.758	17.062	5.636	4.798	5,904	4,678

	Cases Tre	ated, 1948	Deaths,	s, 1948	Deaths,	, 1947
Diseases	Government Rospitals	Government Sasisted SladigsoH	əlsivi	F'emale	əlsM	<b>F</b> emale
Brought forward	9,758	17.062	5,636	4.798	5.904	4,678
XI.—Diseases of Pregnancy, Childbirth and the Puerperal State,—Contd.						
Toxaemias of pregnancy:—  (a) Eclampsia of pregnancy  (b) Albuminuria and nephritis of pregnancy  (c) Acute yellow atrophy of liver associated	7 16	16	11	æ 77	11	12
	154	79	11	П 4	11	1 00
Other diseases and accidents of pregnancy:— (a) Normal labour (b) Other than normal labour	8.220	12.472	11		1	₩ [
Haemorrhage of childbirth and the puerperium:—  (a) Haemorrhage from placenta praevia during childbirth	2	29		1	į.	က
	17	4 22	111	13		14
Carried forward	18.767	29,825	5,636	4,826	5,904	4.712

	Cases Trea	ated, 1948	Deaths,	, 1948	Deaths,	s, 1947
Diseases		Government Sasisted slatiqaoH	Male		Male	Female
Brought forward	18,767	29,825	5,636	4,826	5,904	4,712
XI.—Diseases of Pregnancy, Childbirth and the Puerperal State,—Contd.						
	23	ĺ		,		
(including puerperal tetanus) without mention of pyelitis (c) Puerperal thrombophlebitis (d) Puerperal embolism and sudden death	13			ro		4
Puerperal toxaemias:—  (a) Puerperal eclampsia	32 8	98   7				
Carried forward	18,828	29,846	5,636	4,833	5,904	4.717

	Cases Trea	Treated, 1948	Deaths.	1948	Deaths.	3, 1947
Diseases	Government Hospitals	Government Salatied Assisted Assistated	Male	<b>Е</b> ешзје	Male	
Brought forward	18,828	29,846	5,636	4,833	5,904	4,717
XI.—Diseases of Pregnancy, Childbirth and the Puerperal State,—Contd.						
Other accidents of childbirth:—  (a) Laceration, rupture during parturition or other trauma of pelvic organs (without mention of haemorrhage)  (b) Other accidents of childbirth	267	3		H 4	11	90
Other or unspecified diseases of childbirth and the puerperium:—  (a) Mastitis during the puerperium & lactation (b) Puerperal psychoses (c) Other and unspecified diseases	24			!!!	1 1	
XII.—Diseases of the Skin and Cellular Tissue. Carbuncle, boils	142	96	∞	ıc	2	c
Cellulitis, acute abscess Other diseases of the skin and annexa, and of the cellular tissues		1,339	14	111	13	1 1 4
Carried forward	19,899	32,022	5,658	4,857	5,921	4,745

	Cases Trea	ated, 1948	Deaths,	, 1948	Deaths,	., 1947
Diseases	Government Rospitals	Government Government Assisted Hospitals	Male	Łemale	Male	F'emale
Brought forward	19,899	32,022	5,658	4,857	5,921	4,745
XIII.—Diseases of the Bones and Organs of Movement.						
Osteomyelitis and periostitis:—  (a) Acute (b) Chronic (c) Unspecified	10 21 51	23 14 18	-   -		1 44	
Other diseases of the bones, except tuberculosis (16, 17)	27	21	•	Ī	က	64
Diseases of the joints and other organs of movement:—  (a) Diseases of the joints (except tuberculosis —17b, and rheumatism—58, 59)	30 30	128 30	27	1 01		
Carried forward	20,066	32,256	5,662	4.861	5,929	4,749

	Cases Trea	Treated, 1948	Deaths,	s, 1948	Deaths,	3, 1947
Diseases	Government Hospitals	Government Assisted Rospitals	Male	Female	Male	Female
Brought forward	20,066	32,256	5,662	4.861	5.929	4.749
XIV.—Congenital Malformations.			,			
Congenital malformations:—  (a) Congenital hydrocephalus (b) Spina bifida and meningocele (c) Congenital malformation of heart (d) Monstrosities (e) Congenital pyloric stenosis (f) Cleft palate, harelip (g) Imperforate anus (h) Cystic disease of kidney	9 11 10 6 3 47 8	11 2 2 1 1	6   64   41	. 442	10	6   9
(i) Other stated congenital malformation:— (a) Central nervous system (b) Circulatory system (c) Digestive system (d) Genito-urinary system (e) Other sites	5   6   14	15	e	3   1   1	63   11   1	
(j) Unspecified congenital malformations	7	9	2			
Carried forward	20,195	32,308	5,691	4.883	5,956	4,765

	Cases Trea	Treated, 1948	Deaths,	, 1948	Deaths,	., 1947
Diseases	Government Hospitals	Government Sasisted Rospitals	Male	Female	Male	Female
Brought forward	20.195	32.308	5.691	4.883	5.956	4.765
XVDiseases Peculiar to the First Year of Life.						
Congenital debility	ıc	99	120	217	149	198
Premature birth (still-births excluded)	313	181	361	353	350	393
Injury at birth (still-births excluded):— (a) Intra-cranial or spinal haemorrhage due to injury at birth:— (a) With mention of operation (b) Without mention of operation	~ ∞	11	21			L 4
(b) Other intra-cranial or spinal injuries at birth:— (a) With mention of operation (b) Without mention of operation (c)				i		1
(c) Other birth injuries:— (a) With mention of operation (b) Without mention of operation			6.5		~Jn	67
Carried forward	20.525	32.555	6.177	5,454	6,468	5.363

	Cases Tre	Treated, 1948	Deaths,	3, 1948	Deaths,	, 1947
Diseases	Government Hospitals	Government Assisted slatiqsoH	Male	F'emale	Male	<b>F</b> 'emale
Brought forward	20,525	32,555	6,177	5,454	6,468	5.363
Other diseases peculiar to the first year of life:—						
<ul> <li>(a) Asphyxia during or after birth, atelectasis</li> <li>(b) Intoxication due to maternal toxaemia</li> <li>(c) Infections of the new-born, including nonsyphilitic pemphigus</li> <li>(d) Melaena neonatorum</li> <li>(e) Other specified diseases (including gangrene or haemorrhage of umbilicus, icterus neonatorum, acute catarrhal hepatitis)</li> </ul>	241	7 1 2 1 7 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	38 5 6	34 2 3	26	32   2   17   17
XVI.—Senility, Old Age.						
Senility, old age:—						
(a) Old age (b) Senility with mention of senile dementia (c) Senility without mention of senile dementia	1 6	121	33 33	4 5 64	33	37
Carried forward	20.784	32,761	6,279	5.571	6,554	5,469

	Cases Tre	Treated, 1948	Deaths,	s, 1948	Deaths,	s, 1947
Diseases	Government slatiqsoH	Government Government Assissed SlatiqsoH	Male	F'emale	Male	Female
Brought forward	20.784	32,761	6.279	5,571	6,554	5,469
XVII.—Violent or Accidental Deaths.						
Suicide or attempted suicide by poisoning:						
(a) By solid or liquid toxic or corrosive substances:—				٠		
(a) By corrosive substances	126	നപ	1.6	21 2	<b>&amp;</b> 5	3
	++	Î				1
poisonspecilled solid	42	Î	က	61	2	1
(b) By poisonous gas:—						
(a) By coal-gas, including other gases in			The second secon	ſ	1	9
haust ga	1		1	1	Pr.	, ;,
						İ
(c) Opium addiction						Guarante de
Carried forward	21.007	32,765	6,299	5,596	6,573	5,487
		-	1			

	Cases Tre	ated, 1948	Deaths,	5, 1948	Deaths,	5, 1947
Diseases	Government Hospitals	Government Assisted Aospitals	Male	ы <sub>е</sub> таје	Male	Female
Brought forward	21,007	32.765	6.299	5,596	6,573	5,487
Other forms of suicide or attempted suicide:—		AMERICAN STREET				
<ul> <li>(a) By hanging or strangulation</li> <li>(b) By drowning</li> <li>(c) By fire-arms and explosives</li> <li>(d) By cutting or piercing instruments</li> <li>(e) By jumping from high places</li> </ul>	40 44 111 22		∞     m	e     !	133	
(f) By crushing:—						
(a) Suicide or attempted suicide on railways (b) Other suicide or attempted suicide by crushing		1 1	1 1		1 1	
(g) Suicide or attempted suicide by other or unspecified means	Ø	1		[	1	1
Infanticide or attempted infanticide (infants under 1 year)	1	[	1	ı		proof
Carried forward	21,091	32,765	6,310	5,605	6,590	5,496

The property of the control of the c		Cases Trea	ated, 1948	Deaths,	, 1948	Deaths,	, 1947
XVII.—Violent or Accidental Deaths,—Contd.       21,091       32,765       6,310       5,605         amicide or attempted homicide by cutting or piercing instruments (ages 1 year and over)       66       —       —         omicide or attempted homicide by cutting or piercing instruments (ages 1 year and over)       64       —       —         omicide or attempted homicide by cutting or piercing instruments (ages 1 year and over)       111       —       —         ccidents on railways (and on tramways circulating on specified means (ages 1 year and over)       111       —       —         ccidents on railways (and on tramways circulating on specified means (ages 1 year and over)       111       —       —         ccidents on railways (and on tramways circulating pedestrians killed by trains and victims of collisions between trains and road vehicles (motor vehicles excepted—170a)       79       —       —         utomobile accidents:       1076       —       —       —       —         (c) Other automobile accidents       22.510       32.765       6.310       5.605	Diseases	Government slatiqzoH	bətsizsA	əlsM	F'emale	əlsM	Female
whicles (motor vehicles excepted—170a) contourd.  XVII.—Violent or Accidental Deaths,—Contd.  omicide or attempted homicide by cutting or percing instruments (ages 1 year and over)  omicide or attempted homicide by cutting or percing instruments (ages 1 year and over)  coidents on railways (and on tramways circulating on special tracks not on roads or streets), including pedestrians killed by trains and victims of collisions between trains and road vehicles (motor vehicles excepted—170a)  utomobile accidents:—  (b) Collisions with trains  (c) Other automobile accidents  (c) Other automobile accidents  (c) Other automobile accidents  (d) Collisions with trains  (e) Collisions with trains  (e) Collisions with trains  (e) Collisions with trains  (f) Collisions with trains  (g) Collisions with trains  (g) Collisions with trains  (g) Collisions with trains  (g) Collisions with trains  (g) Collisions with trains  (g) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains  (h) Collisions with trains	Brought forward	21,091	32,765	6,310	5.605	6,590	5,496
omicide or attempted homicide by fire-arms (ages 1 year and over)	XVII.—Violent or Accidental Deaths,—Contd.						
omicide or attempted homicide by cutting or piercing instruments (ages 1 year and over)  omicide or attempted homicide by other or unspecified means (ages 1 year and over)  ccidents on railways (and on tramways circulating on special tracks not on roads or streets), including pedestrians killed by trains and road vehicles (motor vehicles excepted—170a)  (a) Collisions with trains  (b) Collisions with trams  (c) Other automobile accidents  Carried forward  Carried forward  64	omicide or attempted homicide by (ages 1 year and over)	99	ı	Ţ	Ī		1
omicide or attempted homicide by other or unspecified means (ages 1 year and over)  ccidents on railways (and on tramways circulating on special tracks not on roads or streets), including pedestrians killed by trains and road victims of collisions between trains and road vehicles (motor vehicles excepted—170a)	omicide or attempted homicide by cutting piercing instruments (ages 1 year and over)	64	Ī	ĺ	1	1	
ing on special tracks not on roads or streets).  Including pedestrians killed by trains and void vehicles (motor vehicles excepted—170a)	omicide or attempted homicide by other unspecified means (ages 1 year and over)	111	1	Ĭ		ļ	
(a) Collisions with trains       15       —       —         (b) Collisions with trams       —       —       —         (c) Other automobile accidents       —       —       —         (c) Other automobile forward       22.510       32.765       6.310       5,605	ccidents on railways (and on tramways circing on special tracks not on roads or streincluding pedestrians killed by trains victims of collisions between trains and vehicles (motor vehicles excepted—170a)	62	1	Ī			İ
22,510 32,765 6,310 5,605	utomobile accidents:— (a) Collisions with trains (b) Collisions with trams (c) Other automobile accid	15 8 1.076	1 1 1			21	
		22,510	32,765	6.310	5,605	6,593	5,498

s, 1947	Female	5,498							5,498
Deaths,	əlƙivi	6,593			1	Ī	-	1	6,593
5, 1948	Female ·	5,605			1		-		5,605
Deaths,	əf <b>s</b> M	6,310			1		1	1	6,310
eated, 1948	Government Assisted slatigsoH	32,765						ĺ	32,765
Cases Tre	Government Rospitals	22.510		37	&1 &0	ಣ	35	Pro-	22,775
	Diseases	Brought forward	XVII.—Violent or Accidental Deaths,—Contd.	Other road transport accidents, excluding automobile accidents (170):—  (a) Tramway accidents (on roads)  (b) Other road transport accidents	Water transport accidents, including all accidents on or from vessels or boats of any description (except seaplanes), whether at sea, on inland waterways, in harbours or along the coast	Air transport accidents, including all accidents due to aviation	Accidents in mines and quarries	Agricultural and forestry accidents:—  (a) Accidents from farm machinery and vehicles (excluding road accidents)	Carried forward

	Cases Trea	ated, 1948	Deaths,	, 1948	Deaths,	, 1947
Diseases	Government slasigadi	Jnemment Lovernment betsissA slatiqaeH	Male	Female	əlsM	F.emsle
Brought forward	22,775	32,765	6,310	5,605	6,593	5,498
XVII.—Violent or Accidental Deaths,—Contd.						
Agricultural and forestry accidents,—Contal.						
(b) Injuries by animals in farming, etc:— (a) By venomous animals	თ ⊣	29		[ [		1
(c) Other agricultural and forestry accidents	1		1	Ī	Į	
Accidents caused by machinery, excluding accidents due to transport (169 to 173), agricultural or forestry machinery (175), or in mines or quarries (174)	7.1	Ī	ſ	Ĭ		
Food poisoning	19		23		2	-
Accidental absorption of poisonous gases	6			ı	4	Ţ
Other acute accidental poisoning (not by gas)	32			က		1
Conflagration	64	8	2		73	54
Carried forward	22.974	32,798	6.315	5.609	6.672	5,553

	Cases Tre	ated, 1948	De	Deaths, 1948	8	Ď	Deaths, 19	1947
Diseases	Government Rospitals	Jnemnrevo Destricted slatiqeo H	Male	<b>ក</b> emale	Unknown xəS	Male	Female	Unknown Sex
Brought forward XVII.—Violent or Accidental Deaths,—Contd.	22.974	32,798	6,315	5.609		6,672	5.553	
Accidental burns (conflagration excepted)	255	99	92	47	10	18	4	
Accidental mechanical suffocation	1-					∞	೯೨	
Accidental drowning	70,0	On .	98	105	1	89	42	
Accidental injury by firearms	96	ಣ	20	\$1	1	22	₩.	1
Accidental injury by cutting or piercing instruments	133	82	က	<del></del>				1
Accidental injury by fall, crushing landslide, etc.	898		173	63		210	59	1
Cataclysm	9	1			1		1	1
Injury by animals	ID.	33						
Hunger or thirst	1							
Excessive cold		1			1			
Carried forward	24,384	33,072	6,684	5.841	51	7,005	5,663	

	1	17	Ç	ł	Ç	Ç		774
	Cases 1 rea	ated, 1948	عر ا	Deaths, 1940	#0	בֿן ו	Deams, 1	1341
Diseases	Government Rospitals	Government Assisted slatiqsoH	Маде	Female	имоияи ХэЗ	Male	<u> Р</u> ета 16	Unknown Sex
Brought forward	24,384	33,072	6,684	5,841	51	7,005	5,663	
XVII.—Violent or Accidental Deaths,—Contd.								
Excessive heat	က	ಞ			1	-		1
Lightning		1	<del></del>				Marchine Williams	
Other accidents due to electric currents	9		್ಣ			ıc	-	
Attack by venomous animals	က						_	1
Other accidents:— (a) Vaccina and other sequelae of vaccination							w =	
	13							1
(b) Other accidents due to medical or surgical intervention:—					,			
(a) Anaesthetic accidents	63		∞			11		
(c) Lack of care of the new-born	1	Ì	1		}			
(d) Other and unspecified accidents	286		23	2		10	8	
Carried forward	24,698	33.075	6,714	5,847	21	7.021	5,673	

	Cases Tre	Treated, 1948	De	Deaths, 19	1948	De	Deaths, 1947	17
Diseases	Government Hospitals	Government Assisted Hospitals	Male	Female	Unknown Sex	Male	Female	Сикпомп Зех
Brought forward	24.698	33,075	6,714	5,847	51	7,021	5,673	
Injuries of persons in military service during operations of war:—  (a) From poison gas (b) From wounds (c) From other or unspecified causes	33.5		=				=	
Injuries of civilians due to operations of war:—  (a) From poison gas (b) From wounds (c) From other or unspecified causes			,					111
Legal executions  XVIII.—III-defined Causes. Sudden death			18		1 1	4	m	
Carried forward	24,736	33,075	6,733	5,847	51	7,035	5,677	

	Cases Trea	ated, 1948	Dea	Deaths, 1948	48	De	Deaths, 1947	
Diseases	Government Hospitals	Government Assisted Rospitals	Male	Female	Unknown Sex	Male	Female	Unknown Sex
Brought forward	24.736	33,075	6,733	5,847	51	7,035	5,677	
XVIII.—III-defined Causes,—Contd.								
Causes unstated or ill-defined:—								
(a) Ill-defined causes	144	39	343	400		178 81	181	
causes			=	ಣ	10			26
XIX.—Miscellaneous.							er elejeze saz	
Under observation	336	157	1	1	1			1
Malingering	<b>,</b> —1	İ				Ì	to superior distance	1
Persons accompanying patients	[	1	Ì					
Total	25,217	33.272	7,104	6,269	61	7,294	5,911	26

# ANNEXURE K. OBSTETRIC REPORT ON THE TSAN YUK HOSPITAL FOR THE YEAR 1948.

The following statistical summary shows the amount of work done in the Tsan Yuk Hospital for the year 1948:—

	Booked	Unbooked	Total
Adult Patients admitted	3,699	1,131	4,830
Patients delivered in hospital:			4,549
Primiparae	1,124	281	1,405
Multiparae	2,367		3,144
Patients admitted after delivery	,		
(B.B.A.)	6	2	8
Primiparae	1	1	2
Multiparae	5	1	6
Total patients delivered	3,497	1,060	4,557
Abortions	0	0	0
Patients transferred	2	2	4
Patients discharged undelivered	202	70	272
Maternal deaths	0	2	2
Maternal death rate (per 1,000 live			
and stillbirths)	0	1.9	0.4
Infants born in hospital	3,524	1,069	4,593
Infants born before admission			
(B.B.A.)	6	2	8
Total infants born	3,530	1,071	4,601
Infants transferred	1	1	2
Stillbirths (including macerated			
foetus)	74	61	135
Stillbirth rate (per 1,000 live and			î .
stillbirths)	21.00	57.06	29.39
Neonatal deaths	34	27	61
Neonatal death rate (per 1,000 live			
births)	9.86	26.79	13.68
Other infant deaths	0	0	0
•			

The following points of interest are noted:

. .

Pre-cclampsia. There were 110 cases with no maternal death and 6 stillbirths and 3 neo-natal deaths.

Eclampsia. There were 8 cases with no maternal death, 1 stillbirth and 1 neo-natal death.

Placenta Praevia. There were 25 cases with no maternal death, 5 stillbirths and 4 neo-natal deaths.

Accidental Haemorrhage. There were 15 cases with one maternal death and 7 stillbirths.

#### Abnormal Presentations were as follows:—

	Total	Maternal	Still-	.Neo-natal
Presentations	Number	Deaths	births	Deaths
Persistent Occipito Posterior	30	0	1	1
Uncomplicated Breech	108	0	25	8
Complicated Breech	48	0	11	3
Face	2	0	0	1
Brow	1	0	1	0
Transverse	16	0	7	2

Twin Pregnancy. There were 44 cases with no maternal death, 3 stillbirths and 9 neo-natal deaths.

Contracted Pelvis. There were only 6 cases, with no maternal death and one neo-natal death.

Prolapse of Cord. There were 11 cases with no maternal death and 8 stillbirths.

Post-partum Haemorrhage. There were 58 cases with no maternal death.

Operative deliveries were as follows:—

Operation	Cases	$egin{array}{c} Maternal \ Deaths \end{array}$	Still- births	Neo-natal Deaths
Forceps	96	0	5	0
Internal Version	13	0	6	2
Embryotomy	2	0	2	0
Caesarean Section	29	1	2	2

Maternal Deaths. There were only two deaths during the course of the year. One was due to severe concealed accidental bleeding with shock and heart failure, the other was due to shock and heart failure following obstructed labour in a case of hydrocephalus which was sent in by a midwife with the body hanging outside.

Maternal Morbidity. There were 12 cases of genital infection and 91 cases of extra-genital infection, with no death. The computation of the maternal morbidity figure on the total number of 103 cases works out at 2.25%.

Stillbirths and Neo-natal Deaths. There were 135 stillbirths (i.e. children born at or after the 28th week of pregnancy who failed to breathe after birth).

In addition there were 61 neo-natal deaths (i.e. deaths within 28 days of delivery, either in hospital or after transfer to another hospital, but excluding those discharged healthy). It is of interest to note that 51 of these 61 deaths were in cases of premature live-born infants, with a birth weight under 5 lbs. or 2,300 grams. The year's figures showed 2.94% stillbirths and 1.37% neo-natal deaths, making a total wastage of infant life of 4.31%, which compares very favourably with that of previous years.

Sgd. Gordon King,
Consultant to the Government.
Prof. of Obstetrics and
Gynaecology.
University of Hong Kong.

## ANNEXURE L. A SUMMARY OF THE WORK DONE AT THE KOWLOON AND HONG KONG PUBLIC MORTUARIES.

1948.

Total number of Post-moduring the year  No. of male bodies exame No. of female bodies exame Sex unknown owing to do No. of claimed bodies ser No. of unclaimed bodies Body of infants sent from No. of bodies cremated No. of Chinese bodies exame No. of Non-Chinese bodies No. of bodies Nationality No. of Medico-Legal Case	ined mined ecomp at from mostly m Con camine es exa	osition n hospi y abanc vent d mined	tal, etc		2,973 1,522 1,394 57 563 2,410 500 412 2,937 24 12 461
No. of bodies under 2 ye	ears of	age	. 870	1,011	<i>Total</i> 1,881
No. of bodies over 2 year					1,035
No. of bodies received for	om th	e follo	wing source	ees:—	
(Hong Kong) Victoria District Shaukiwan District Other Villages	$\operatorname{rict}$			• • • • • •	763 111 32
		Tota	d	• • • • • •	906
(Kowloon)				=	
Water Police Starsim Sha Tsui in Yaumati Mongkok Shumshuipo Kowloon City Hunghom Tsun Wan Sheung Shui Sha Tau Kok Tai Po Shatin Ta Ku Ling Castle Peak Ping Shan Lok Ma Chau Kam Tin Tai O Cheung Chau Sai Kung	<pre></pre>	<pre>  ;  ;  ;  ;  ;  ;  ;  ;  ;  ;  ;  ;  ;</pre>			184 53 151 140 268 133 54 17 13 3 13 11 6 6 15 3 2 1 12 3
Hospitals, etc					979
		Tota	al	2	,067

No.	of	rats	caught and brought to the mortuaries	191,096
No.	of	rats	examined	191,096
			spleen smears taken for examination	/
No.	of	rats	infected with plague	Nil.

#### ANNEXURE M.

#### ANNUAL REPORT OF MALARIA BUREAU.

#### Notification of Malaria.

The arrangement by which Malaria was notified voluntarily by doctors ceased in May 1948 and as a result accurate figures are no longer available.

#### Staff.

The staff of the Malaria Bureau was made up of 1 Malariologist, 5 grade I Inspectors, 2 grade II Inspectors, 3 Probationer Inspectors and 2 Health Inspectors who were seconded to the Bureau in March, 1948. Dr. J. B. Mackie departed to attend the 4th International Congresses on Tropical Medicine and Malaria at Washington as a Government Observer in April 1948. He returned to the Colony on December 11th, 1948. During his absence Dr. G. B. Smart was in charge of the Malaria Bureau.

#### Field Work.

Rough training of streams, stone drainage, clearing, subsoil drainage, and oiling were the methods used. In addition a cheap experimental form of rough concrete training was carried out in the Deep Water Bay Valley, and if this proves successful, it may be possible to extend it to other areas.

The R.A.F. have withdrawn their field work at the Airport on instruction from British Government, and the complete control of this district has been taken over by the Malaria Bureau.

Owing to the extensive excavation of land and large increase in building in all areas, control work was made more difficult, but no breakdown occurred. In addition to these larval control measures the Chinese villages of Sai Wan, Pokfulam, Telegraph Bay and Ngau Chi Wan, on the outskirts of our control area, were residually sprayed with D.D.T.

### Malarial Surveys.

No malarial surveys were undertaken during the year, but checking larval surveys were periodically carried out in all areas. In addition periodic checks of incoming trains, lorries and aircraft were carried out.

#### Laboratory.

In the present office of Malaria Bureau it has not been possible to put up a good insectary on account of the heat, but with the removal to a cooler level this will be done. Blood films as well as mosquito larvae and adults were examined, and the results of the examination are appended. The Identification of beetles, moths and flies was undertaken for other Departments. The results of identification of mosquitoes and larvae can be seen in Annexures M2 and M3.

#### New Territories.

Work continued to increase in the New Territories. All Government Quarters and offices were sprayed with DDT. Unfortunately for the occupants in some cases, full advantage could not be taken of this measure on account of the poor state of the screening, or in some places, its complete absence.

Suppressive Paludrine (100 Mgm. twice weekly) for the second year again proved its efficiency in the protection of the European and Chinese Police, who are, of necessity in their work, exposed to considerable risk. So much so, that the Chinese Police on Government Mepacrine, in some places, changed over to Paludrine at their own expense. Both as a suppressive and from an administrative point of view Paludrine is superior to Mepacrine.

With the southward advance of the Communists there was an influx of non-immunes, both European and Chinese, into the New Territories. Notably the American Seventh Adventist Mission who moved down two whole schools and their entire European and Chinese Staff. A complete blood parasite survey of these schools (some 500 people) was undertaken, and as expected coming from the north, were negative for Malaria.

Advice, which they have been quick to take, has been given them on the best methods of screening their buildings which of necessity were makesnift, and on the use of residual Gammexane and suppressive Paludrine.

A further influx has come in the Tsun Wan area where a large number of factories have been built. Malaria in these work people has been controlled with suppressive Paludrine, and an endeavour has been made to obtain the co-operation of the owners in a combined housing scheme for the labour force which would be reasonably cheap to protect by anti-larval measures.

Residual DDT and Gammexane have been proved most effective in reducing the mosquito catches in houses in the rural districts, but their future as a preventive measure in rural malaria depends on their ultimate enect on the blood parasite rate and the incidence of malaria, and in this respect much more work has to be undertaken in each malarious area of the world to determine the night-resting and feeding habits of the carrying species. In this connection experiments in mosquito trapping in selected malarious districts in the New Territories to determine the habits of our local carrying species are now being undertaken—this work will take some time.

Experiments were also carried out in order to determine whether malaria could be controlled in villages in the New Territories by monthly fumigation of dwellings with Gammexane, using Gammexane Smoke Generators.

The insecticidal action of Gammexane smoke is by direct kill and by the effect of the residue deposited on walls and ceilings of rooms after fumigation.

The three villages of Shum Tseng, Pok Wai, and Chuk Yuen were selected for the experiments with Chuk Yuen acting as a control. The parasite rate was taken as an index of the degree of malaria infection in each of the three villages and was determined at the onset and termination of the experiments i.e. in May and December. Mosquito catches were carried out each month in order to determine the vector species in the respective villages and the effect of Gammexane on the mosquito population.

The dosage of Gammexane employed was a 2 oz. Generator per 4,000 cu. ft. of room space, but this dose was often exceeded; on the other hand, the proper sealing of rooms for 2 hours after fumigation could not always be ensured.

In view of the short period over which the experiments were conducted viz. one malarial season, it was decided to accept as significant only marked reductions in the parasite rates.

Mosquito Catches.

A. hyrcanus var. sinensis was the predominant anopheline species in all these villages and was found mainly in pigsties. A. minimus and A. jeyporiensis var. candidiensis, the two important vector species in the Colony, were found in small numbers in Shum Tseng and Pok Wai but not in Chuk Yuen. A few A. tessellatus were caught only in Pok Wai Village.

	Parasite rate	Parasite rate
	(May, 1948)	(Dec., 1948)
Pok Wai	4.16%	NIL.
Shum Tseng		21.2 %
Chuk Yuen	18.9 %	9.12%

Malaria Parasites.

Plasmodium vivax was the only species of malarial parasite encountered in blood films when determining parasite rates.

Conclusion.

The conclusion drawn from the experiments is that the Gammexane Smoke Generator is unlikely to prove successful in controlling Malaria in Malaria endemic areas unless supported by other control measures.

On the other hand, the experiments proved that Gammexane Smoke is a powerful insecticide, although the residual effect after fumigation is not as lasting as that obtained by spraying with solutions of Gammexane or DDT. Bug infestations were eradicated and fly and mosquito nuisances were controlled for short periods in the two villages subjected to Gammexane fumigation.

A larval survey carried out in November in hill-streams near the villages of Tau Yuen Wai and Foo Tau in the Ping Shan area gave the following result:—

A. hyrcanus var. sinensis 147, A. minimus 24, A. maculatus 3.

The two villages combined showed spleen and parasite rates of 31% and 25% respectively.

A larval survey carried out in December in the hill-streams near Chung Uk Village, gave the following result:—

A. maculatus 98, A. karwari 55, A. hyrcanus var. sinensis 121, A. jeyporiensis var. candidiensis 4, and A. minimus 52.

The village showed a spleen and parasite rate of 43.7% and 0% respectively.

## Teaching of Mosquitology.

A course of twenty Lectures on this subject was given to Public Health Inspectors together with Field and Laboratory Demonstrations. Personnel of the Army and Navy were also given a course of instruction in Anti-Malaria Work, and arrangements have been made with the University to recommence the course in Malariology for the M.B. Ch.B.

## Legal Action.

Sixty legal notices were served in the course of the year for mosquito breeding, and two people were summoned.

## Mosquito Nuisances.

Mosquito nuisances were investigated on behalf of the Urban Council at Eastern District, Central District, Upper Level. Pokfulam, Aberdeen, Stanley, Shek O, Tytam Tuk, Shaukiwan, Kowloon City, Kowloon Tong, Kai Tak, Lai Chi Kok, Hung Hom, Yaumati and Tsim Sha Tsui.

Sgd. J. B. Mackie, Government Malariologist.

## ANNEXURE M1.

Malaria Cases notified by Government Hospitals and Dispensaries and

Deaths from Malaria recorded by the Registrar of Births and Deaths, during 1948.

Month.	Cases.	Deaths.
January	62	11
February	46	18
March	66	10
April	60	5
May	71	8
June	84	30
July	83	17
August	238	18
September	103	22
October	147	26
November	93	15
December	62	10
	1,115	190

	1948
. M2.	IDENTIFICATION OF MOSQUITOES,
ANNEXURE M2	IDENTIFICATION
	P 0F
	RESULT

Ar. obturbans	ļ	∞	di constantino	ļ	Î	Î	i	14		1	1	4
-oinsetid .D sudonyna	ın	1	1			<del></del>		9	2	1	ı	
he. togoi	many	many	many	many	1	Ì	Ì	,	Ì	1	Ì	
Ae. albopictus	many	many	many	many	many	many	many	many	many	many	many	many
C. fatigans	many	many	many	many	many	many	many	many	many	many	many	many
irswish .A	1	Ì	1	Ī	Î	2	П	Î	Î		Î	
A. hyrcanus sisnənis .rsv			1	Î	89	49	17	ιc	೧೦	6	00	
A. jeyporiensis sisnəibibnsə .rsv		Î	1			Î	1	1	Î			
suminim .A	1	1	1		-	23	Ħ	1		7	27	
A. maculatus		1	l manual	ſ	ſ		1		1.		1	
Month	January	February	March	April	May	June	July	August	September	October	November	December

	iogot .9A		many	many	many	many	[	1	ļ	Ī	Wanterson	1	1	
	sużsiqodls .9A		many	many	many	many	many	many	many	many	many	many	many	many
1948.	C. bitaenio- rhynchus		22	10	1	1	1	31	41	1	1	1	ļ	27
	ansgitst .D		nany	many	many	many	many	many	many	many	many	many	many	many
TION OF 1	inswasa .A					1	1	1			1		1	55
IDENTIFICATION OF LARVAE,	A, hyrcanus sianonis asv		56				1			1-		2	147	101
RESULT OF IT	sisnəivoqyət A sisnəibibns: 'asv	Branch of the state of the stat											1	아쉬
RES	suminim ,A		ಣ			1					1	•	24	52
	eulatus A.		134		1			1	<b>&amp;</b>	93		526	က	98
	Month		January	February	March	April	May	June	July	August	September	October	November	December

ANNEXURE M3.

#### ANNEXURE N.

# ANNUAL REPORT OF THE GOVERNMENT LABORATORY FOR THE YEAR 1948.

The work of the Laboratory continues to show a steady increase. A comparative table of samples examined is given (Table 1).

#### TABLE 1

		1947.	1948.
(i)	Waters & Waterworks Chemicals	897	689
(ii)	Foods & Drugs	57	97
	Chemico-legal	409	607
(iv)	Commercial	2,014	1,886
(v)	Biochemical	<b>36</b> 0	3,056
(vi)	Coal from Department of Supplies,		
	Trade & Industry	84	101
(vii)	Miscellaneous from other Government		
\ /	Departments	53	173
		******	
		3,874	6,609

- (i) Under this heading are included the routine examinations of the reservoirs and filter beds of the Colony water supply, daily samples from supply taps in various parts of the Colony, and samples from waterboats supplying shipping in the harbour.
- (ii) Food samples consisted principally of milk, for control of pasteurisation, but cases were found of butter substitutes being sold as butter, and arachis oil being sold as olive oil.
- (iii) Table 2 shows the considerable range of material examined under this heading. There were no cases of homicidal poisoning.

A disastrous outbreak of fire occurred at the Wing On Company Godown, as a result of which nearly 200 persons lost their lives. Mr. R. C. Terry, Assistant Government Chemist, carried out a detailed investigation into the cause of this fire, which was traced to the spontaneous combustion of washed nitrocellulose film. At the Commission of Enquiry which was set up both the Government Chemist and Mr. Terry gave evidence. The same material is believed to have caused another fire in a godown in the Colony.

A dangerous commodity which was discovered during these investigations was crude caustic soda containing a large quantity of metallic sodium, sufficient to cause ignition when the material was placed in water.

# Chemico-Legal Analyses.

Toxicological Examinations (including postmortem	
materials from 46 persons)	255
Urine and Blood for Alcohol determination	119
Articles connected with:— Acid-throwing Bombs & Explosives Collapse of Building Firearms Fraud Illegal practising of Western medicine Larceny Licensing Laws Medicines, Drugs & Poisons Outbreaks of Fire Smuggling Stains on clothing etc.	62 10 1 4 1 23 2 1 73 48 2 6
	607

#### Toxicological Examinations.

No Poison present	96
Opium	13
Phenolic or Cresolic Compounds	86
Alcohol	5
Aspirin	2
Barbiturate	8
Calcium chloride	1
Calcium oxalate	1
Camphorated oil	1
Caustic Alkali	6
Crayon	1
Dyestuff	1
Fungi	1
Gasoline	1
Hydrochloric acid	1
Hydrocarbon oil	3
Hyoscyamine	2
Kai Po Yue Fish	1
Magnesium sulphate	2
Mercury	1
Methylene blue	1
Morphine	10
Oxalic acid	2
Soap	1
Strychnine	2
Sulphuric acid	1
Thiamin	1
Yohimbine	1
Miscellaneous	3
	255

(iv) Commercial samples form the largest single item of the work of the Laboratory. Fees collected have increased from \$106,601 to \$118,811, making a total of \$262,844 since the war. It is unusual for a Government Laboratory to concern itself to this extent with consulting work, but this is necessitated by the absence of adequate private laboratories, and by the abnormal trading conditions. Table 4 gives details of the samples submitted.

# Commercial Samples.

Commercial Samples.	
Minerals & Metals:—	
Aluminium	1
Aluminium silicate	1
Antimony	4
Antimony oxide	4
Asbestos	1 1
	1
Beryl	1
Bismuth concentrate & ores	23
Brass, Bronze & Gunmetal	4
Chromite	3
Clay & Kaolin	53
Coal	18
Cobalt	2
Copper	28
Copper concentrate	1
Felspar	4
Fluorspar	1
	8
Ferro-Manganese	4
Ferro-Molybdenum	
Ferro-Tungsten	11
Gold	1
Graphite	
Iron ore	6
Iron oxide	11
Lead & Lead ores	72
Manganese ore	25
Magnesium	1
f Molybdenum	13
Molybdenum concentrate	6
Nickel	1
Pewter	9
Plated metal sheets	5
Quartz	1.
Scheelite	2
Silver	10
Solder	2
Tale	$\tilde{\tilde{3}}$
Tin	244
Titanium ore	2
Titanium dioxide	$\frac{\tilde{4}}{4}$
Tungsten	3
	. 3
Tungsten concentrate	
	26
Zinc concentrate & ores	13
Zirconium	I.
(Minerals & Metals, Total) $C/f$	662
(milierais de medais, notar) 0//	002

Commercial Samples,—Contd. (Minerals & Metals, Total) B/f. ... 662 Oils & Fats:— Aniseed oil ..... 26Camphor oil ..... 10Cassia oil ..... Citronella oil ..... Clove oil ..... Coconut oil ..... Fuel oil ..... Groundnut oil ..... Isoborneol Lard ...... 2 17 Linseed oil ..... Lubricating oil ..... 3 Olive oil ..... Palm oil ..... Paraffin Wax ...... Peanut oil ..... Peppermint oil ..... 10 $\operatorname{Petrol}$  ..... 1 Rapeseed oil ..... 65 6 Rosin ..... Stearine ..... Stillingia oil ..... Safrol ..... Sovabean oil ..... Tallow ..... 164Teaseed oil ...... Terpineol ..... 279 Wood oil ..... Miscellaneous: — Battery acid ..... Camphor ..... 34 Cement -6 81 Chemicals & Fertilisers ..... Chinese Lacquer ..... 10Copra & Oil Cake ..... 12 Firecrackers ..... 3 82 Food-stuffs ..... Formaldehyde ..... 96 12 Gallnuts ..... Medicine ..... 34 Paints, Varnishes, Dyestuffs etc. 44 Soap ..... 97 Steamer Tanks ..... 10 24 Water .....

Total .....

1,886

#### TABLE 4,—Contd.

Fees	collected	for	commercial	analyses	 \$116,421
Fees	collected	for	biochemical	analyses	 2,390
					\$118,811
					\$\frac{1}{2} \cdot \frac{1}{2}

(v) The apparently sudden development of biochemical work is accounted for by the fact that the figure shown for 1947 was for November 1947 and December 1947 only. Private practitioners have made considerable use of the facilities provided.

#### TABLE 5

#### Biochemical Examinations.

Specimens received:—	
Bile	1
Blood	1,028
Cerebro-spinal-fluid	300
Gastric contents	1,657
Stool	8
Urine	49
Miscellaneous	13
	0.070
	3,056
Received from:	
Anti T.B. Clinic	3
Families' Clinic	1
Kowloon Hospital	729
Lai Chi Kok Hospital	19
Medical Post (Central Police Station)	1
Private Practitioners	200
Queen Mary Hospital	2,032
Sai Ying Pun Hospital	8
Tsan Yuk Hospital	7
Tung Wah Eastern Hospital	56
	3,056

(vi) There has been a slight increase in the use made of the Laboratory by other Government Departments, although much of this resulted from the number of samples examined for the Fire Brigade following on the Godown fires referred to in para. (iii).

# Miscellaneous samples from Government Departments.

Samples from:	11
Agricultural & Gardens Department Controller of Stores Fire Brigade Department	6
General Post Office:— Telecommunications Branch	1
Imports & Exports Department Kowloon Canton Railway Marine Department	5 4 2
Medical Department:— Central Medical Stores Health Officers & Inspectors Medical Department Headquarters Queen Mary Hospital Slaughter House Urban Council Prison Hospital	7 10 1 2 2 1 2
Public Works Department:— Building Ordinance Office Electrical & Mechanical Office	14 2
Supplies, Trade & Industry Department	3
	173
	The second secon

#### Staff.

Mr. J. Redman, Government Chemist, proceeded on leave on 3rd March, 1948 and returned to duty on 8th March, 1949. Mr. D. E. Davis acted as Government Chemist during this period.

Mr. E. Collins, Assistant Government Chemist, was seconded to the Imports & Exports Department during the same period.

Mr. R. C. Terry, Assistant Government Chemist, joined the staff on 24th January, 1948.

Mr. R. G. Barradas, Laboratory Assistant, was awarded a Colonial Welfare & Development Scholarship, tenable for four years at Liverpool University, and left for the United Kingdom on 2nd August, 1948.

Sgd. J. REDMAN.

J. REDMAN, B.Sc. Tech., A.M.C.T., F.R.I.C.

Government Chemist.

Government Laboratory, Hong Kong.

8th April, 1949.

#### ANNEXURE O.

# ANNUAL REPORT OF THE GOVERNMENT PATHOLOGIST 1948.

#### (1) Introductory.

This report deals with the activities of the Institute in Hong Kong, the branch in Kowloon, and the Queen Mary Laboratory. Throughout the year equipment, supplies, and technical books continued to arrive, making routine work easier to perform and enabling progress to be made in many directions.

Rewiring of the Institute and overhaul of all electrical installations were commenced in May and completed by the end of the year, when all the necessary fittings became available; in June the Gardens Department instituted regular attention to grass plots, shrubs, and surroundings; and by the end of March 1949 the buildings were renovated and painted throughout, with remarkable effect.

At the Queen Mary Hospital, the laboratory was moved into new quarters towards the end of the year and although somewhat cramped for space is serving the needs of the hospital well under the part-time direction of Dr. K. T. Loke.

The Kowloon branch continued to function with Dr. R. E. Alvares in charge, and has proved a most useful focus for Kowloon, both as regards routine laboratory examinations and as a centre for the distribution of vaccines. Repainting was carried out in the spring of 1949.

By arrangement with the Agriculture Department part of the animals housed in unsatisfactory quarters in the Institute, comprising rabbits, sheep, guinea pigs and mice, were removed to a far more suitable location in the New Territories for breeding and stock purposes.

Analysis of the nightsoil held in the so-called maturation tanks at Castle Peak revealed that the extremely high concentration of ova constantly present in this material showed little change after a month in the tanks, Clonorchis and Ascaris being especially prevalent and Ankylostoma proving to be demonstrably viable. Bacteriological findings for pathogenic organisms were negative, but are still under investigation.

Revenue for the period under review exceeded estimated revenue by \$33,000.

The following were the more important additions to the library:—

Gynaecological & Obstetrical Pathology—Novak. Disorders of the blood—Whitley & Britten.

Handbook of Practical Bacteriology—Mackie & McCartney. Forensic Medicine—Keith Simpson.

Medical Jurisprudence & Toxicology—Glaister.

Pathology of Tumours—Willis.

Textbook of Clinical Pathology—Parker.

Staff Changes—Dr. K. T. Loke was confirmed in the post of Pathologist during the year. New appointments included Messrs. Shum Hay, laboratory assistant, Ko Jak Wai, attendant, Fong Kam, watchman, and Chan Ho, coolie. There were two resignations—Poon Ting Kam, attendant, and Lee Sik, coolie.

N.B.—The figures in the following tables include those of the Kowloon and the Queen Mary Hospital branches. Allocation of the work performed is shown separately in the Summary at the end of this report.

#### (2) Protozoology and Helminthology.

2. Blood films for malaria—Five thousand and fifty-five films were examined for the parasites of malaria. Classification of types found and negative findings are shown in the table.

TABLE I

Blood Examined for Malaria.

	Chinese	Non- Chinese	Total
Sub-tertian	266	3	269
Benign-tertian	324	20	344
Quartan	152	-	152
Unclassified (Type undetermined)	28		28
Multiple infection	17		17
Negative	4,027	218	4.245
Grand Total	4.814	241	5,055

- 3. Filaria-Microfilarial parasites were found in five cases.
- 4. Anthrax—Infection with B. anthracis was established in 19 instances of blood films taken from sick animals.
- 5. Faeces—Ten thousand six hundred and eleven stool specimens were examined for parasites, ova, or cytological picture. Using concentration methods on bulk specimens from night soil tanks, it would appear that infection with Clonorchis is almost as common as Ascariasis in this area.

TABLE 11
Examination of Stools for Intestinal Parasites.

	Chinese	Non- Chinese	Total
Ascaris	1,851	121	1,972
Clonorchis	306	6	312
Trichuris	563	34	597
Ankylostoma	323	9	332
Enterobius	4		4
Taenia	1		1
Fasciolopsis	33	1	34
Schistosoma	2	miningulage	2
E. histolytica	50	12	62
Multiple infestation	1.303	18	1.321
Negative	5.082	892	5,974
Grand Total	9.518	1.093	10.611

## (3) Haematology.

Most of this work is carried out at the Queen Mary Laboratory and the Kowloon Branch, as shown in the Summary.

## TABLE III

Hb. percentage	2,542
Total Red Cell Count	2,569
Total White Cell Count	3,188
Differential Count	3,906
Blood Sedimentation Rate	1,125
Blood Bleeding Time	33
Blood Coagulation Time	32
Platelet Count	19
Reticulocyte Count	5
Blood Grouping	681
Cross-Matching	1.77
Grand Total	14,277

#### (4) Serology.

6. The Kahn reaction—Thirty-eight thousand, seven hundred and twenty-five sera were tested. This figure is again an annual record and can rightly be interpreted to mean unremitting hard work and responsibility on the part of the staff concerned.

TABLE IV
Examination of Blood Sera for Syphilis.

	Chii	nese	Non-C	Total	
	М.	F.	M.	F.	Total
Strong Positive Positive Weak Positive Doubtful Negative	3,052 1,698 1,154 1,006 13,114	2,497 920 1,089 938 12,591	19 9 5 3 518	$egin{array}{c c} 4 & 2 & \\ 2 & 1 & \\ & & \\ & 105 & \\ \hline \end{array}$	5,572 2,629 2,249 1,947 26,328
Grand Total	20,024	18,035	554	112	38,725

- 7. Agglutination tests—One thousand six hundred and forty sera were examined for the presence of agglutinins against various organisms.
- 8. Blood Clot Culture—Culture of the clot from agglutination specimens was carried out as a routine from January 15th, and the positive findings at the Institute, which included 47 Bact. typhosum, 3 Bact. paratyphosum A, 1 paratyphosum B, and 1 paratyphosum C, often threw an interesting light on the agglutination results. The para. C culture, kindly confirmed by the Salmonella Reference Laboratory in London, represents the first known case of para. C infection in Hong Kong since the war.

TABLE V
Agglutination Tests.

	Chinese			Non-Chinese			
Organisms	Pos.	Neg.	Doubt-	Pos.	Neg.	Doubt- ful	Total
Bact. Typhosum Bact. paratyphosum A. ,, ,, B. Enteric fever,	223 13 6	   <b>8</b> 99   —   —	19 3 1	3 2 —	48	$\left \begin{array}{c} 1\\ -\\ -\end{array}\right $	1,275
type undetermined Br. melitensis Br. abortus Weil Felix reaction	42 — 11	$\begin{vmatrix} -6 \\ 6 \\ 310 \end{vmatrix}$	15   <del>-</del>   1	<u> </u>	$\begin{vmatrix} -1\\ 1\\ 28 \end{vmatrix}$	- )	7 7 351
Grand Total		1,55	55		85		1,640

#### (5) Bacteriological Examinations.

9. Faeces—Eight hundred and fifty-six stools were cultured for pathogenic organisms. No case of cholera was discovered.

TABLE VI

Examination of Stool for Organisms.

	Chinese		Non-C		
	Pos.	Neg.	Pos.	Neg.	Total
Bact. typhosum,	11	402		44	457
(Group)	3	275		27	305
Cytology typical of bacillary dysentery B. dysentery (Flexner) B. ,, (Shiga) . V. cholerae	29 5 1 —	<u></u>	2 2 —	<u>-</u> <u>-</u> 1	31 7 1 55
Grand Total	49	731	4	72	856

10. Sputum—Eleven thousand and thirteen sputa were examined for the presence of the tubercle bacillus. In addition, culture and animal inoculation were called for in a few instances, as shown below, while gastric lavages for tubercle bacilli reached the high figures of seven hundred and thirty-six with eighty-three positive results.

TABLE VII

Examination of Sputa for Tuberculosis.

	Chinese		Non-C		
	Pos.	Neg.	Pos.	Neg.	Total
Direct examination Culture	4,396 2 1	6,158	165	$\frac{267}{3}$	10,986 20 7
Grand Total	4,399	6,179	165	270	11,013

- 11. Urine—One thousand two hundred and sixty-two specimens were cultured for pathogenic organisms.
- 12. Urethral and cervical smears—One thousand two hundred and thirty-three specimens were examined for the presence of the gonococcus, with 95 positive results.
- 13. Nasal smears, etc. for M. leprae—One hundred and forty-nine examinations were made for the detection of this organism. 56 positive results were recorded.
- 14. Throat swabs—One thousand eight hundred and eighty-seven swabs were cultured for C. diphtheriae.

TABLE VIII

Examination of Throat Swabs for Diphtheria.

	Chinese	Non- Chinese	Total
Positive	165	6 106	171
Grand Total	1.775	112	1.887

15. Cerebrospinal fluid—Four hundred and seventy specimens were examined for the presence of pathogenic organisms.

TABLE IX

Examination of Cerebrospinal Fluids for 
Pathogenic Organisms.

	Chinese	Non- Chinese	Total
Meningococcus	44	No Annexed	44
Pneumococcus	15	ene vá	15
M. tuberculosis	3	1	4
Negative	403	4	407
Grand Total	465	5	470

16. Rat spleen smears—Twelve thousand six hundred and seventy-nine examinations were made of smears for P. pestis. No positive findings were recorded.

#### (6) Clinical Pathological Procedures.

- 17. Urine examination—Eleven thousand four hundred and ninety-two routine, chemical and microscopic examinations of urine were carried out.
- 18. Friedman test for pregnancy—Seventy-seven such tests were performed. Owing to the abnormal demand and limited number of suitable rabbits, operation was resorted to in all cases, and whilst the average number of operations per animal was four, some rabbits were able to withstand successfully six laparotomies.
- 19. Miscellaneous tests—Two thousand one hundred and forty-nine tests of an unclassified nature were carried out.

#### (7) Preparation of Vaccine lymph.

20. Buffalo calves were used exclusively. A smaller quantity of lymph was prepared this year, sufficient to maintain stocks at a satisfactory level, and there was no particular difficulty in obtaining the number of calves required.

#### (8) Preparation of Vaccines.

- 21. Cholera vaccine—Stocks were in process of preparation at the end of the year. The main difficulty in this branch has been lack of adequate refrigeration space in which to store the vaccines ready for use.
- 22. Antirabic vaccine—The  $56\frac{1}{2}$  litres of antirabic vaccine prepared is once again a record figure. In the absence of sheep, goats were used, and the vaccine issued continued to be of the Semple type in 4% & 2% dilutions.

TABLE X
Cases Treated with Antirabic Vaccine.

	Treatment not completed	Treatment completed	Total
Chinese	856 53	703 61	1,559
Grand Total	909	764	1,673

TABLE XI
Vaccine Production.

		Vaccin issued		Vaccine prepared		
Anti-smallpox va	accine	23,768 c.c.		22,450	c.c. (In process of manufac- ture)	
,, cholera	,,	347,233 c.c.				
,, T. A. B.	,,	22,680 c.c.		-		
,, Plague	,,	3,773 c.c.				
,, Rabic	,,	32,042 c.c.	(2%)	38,110	c.c. (2%)	
,, ,,	,,	18,570 c.c.	(4%)	18,570	c.c. (4%)	
<b>1</b>						
Grand	Total	448,066 c.c.		79,130	c.c.	

#### (9) Examination of Water and Milk.

23. Water—Two thousand four hundred and thirty-seven samples of water from various sources were examined.

## TABLE XII

Unfiltered raw water	248
Filtered ,, ,,	244
Filtered and chlorinated water from service tap	1,899
Well water	10
Water other than public supplies	36
$f Total \dots \dots$	2 437

24. Bacteriological Analysis of Milk and Foods—One thousand one hundred and four examinations of milk were performed, chiefly at the instance of the Health Division. Nine hundred and twenty one examinations of a miscellaneous nature were also carried out as shown.

#### TABLE XIII

Milk	1,104
Ice-cream	645
Popsicle	163
Aerated water	103
Tinned food	10
Total	2,025

#### (10) Morbid Histology.

25. There were seven hundred and three examinations of tissue made during the year. Tumours, both benign and malignant, total two hundred and sixty-five. Carcinoma of the cervix, secondary carcinoma in lymph glands of the neck, (most cases due to nasopharyngeal growths) and carcinoma of the breast, continue to head the list of malignant tumours in that order. The rest of the examinations were made for general pathological diagnosis and they include among others the following interesting cases:—

Hashimoto's disease, Schistosoma ova in the spleen, Filaria in a lymph gland, tuberculosis of the cervix, gumma of the brain and Spirochaeta pallida in the liver of a three months' old child.

26. Negri bodies—Thirty-five brains were examined for the presence of Negri bodies. There were two positive human cases, one resident in Shaukiwan, and one who was bitten in Canton and is therefore an imported case.

#### TABLE XIV

# Brains Examined for Negri bodies.

		Positive	Negative	Total
Human brains	na di Salahan Tanggaran Salahan	2		2
Dogs', ,,		4	$\pm 29$ .	33

#### TABLE XV

Tumours Examined. Cases23 Fibroma ..... 3 Lipoma 1 Endothelioma Angioma ..... Lymphangioma ...... Nasal polyp ..... Rectal polyp ..... Uterine polyp ..... 22 Cervical polyp ...... 16 Fibroadenoma of the breast ..... 12 Fibromyoma of the uterus ..... ,, ,, cervix ..... 4 Adenomyoma of the uterus ..... Mixed salivary tumour ..... 10 Squamous papilloma ..... 9 13 Sarcoma Lymphosarcoma ...... Osteogenic sarcoma ..... 3 Giant cell tumour (osteoclastoma) ..... Secondary carcinoma of cervical lymph gland ..... ,, ,, lymph gland (other regions) ...... Carcinoma of nasal cavity ..... nasopharynx ..... lung mouth ..... oesophagus ..... liver (hepatoma) ..... Carcinoid tumour of the appendix ..... Carcinoma of rectum ..... breast ..... penis ..... testis (seminoma) ..... skin ..... Embryoma (Wilms' tumour) ..... Melanoma ..... Adamantinoma Chorionepithelioma Hydatidiform mole 5 Cysts of the ovary -27 (malignant) ..... 3 broad ligament ..... 4




TABLE XVI
Summary of Examinations.

Nature of Examination	Pathological Institute	Queen Mary Hospital Laboratory	Kowloon Pathological Institute	Total
Bact. typhosum ,, paratyphosum A B	845		430	1,275
Agglutination reaction Enteric fever, type undetermined Br. melitensis Br. abortus Weil Felix reaction	7 7 224		127	7 7 351
Serological reaction for syphilis	38,725			38,725
Blood smears \begin{cases} Malaria & & & & & & & & & & & & & \\ Filaria & & & & & & & & & & & & & & & & \\ Kala-azar & & & & & & & & & & & & & & & & & & &	2,285 — — 75	1,021 5 1	1,749	5,055 5 1 79
Hb. percentage Total Red Cell Count Total White Cell Count Differential Count Blood Sedimentation Rate Blood Bleeding Time Blood Coagulation Time Platelet Count Reticulocyte Count Blood Grouping Cross-Matching	1.204 1 — — — — — — — — — — — — — — — — — — —	2,049 2,061 2,280 1,861 1,005 31 31 18 5 451 158	493 506 906 841 119 2 1 1 	2,542 2,569 3,188 3,906 1,125 33 32 19 5 681 177
Cultural (Cerebro-spinal fluid for pathogenic organisms)  Examination (Page 1 Swabs (C. diphtheriae) (Cerebro-spinal fluid for pathogenic organisms)  Faeces for pathogenic organisms  Blood (Urine)	1,021 259 470 419 173	206 9 93 73 626	202 293 257 463	1,887 470 856 749 1,262
Faeces { Intestinal parasites	2,354 68 —	5,229 168 —	3,028 173 21	10.611 409 21
Tissue sections Brains for Negri bodies Sputa Gastric lavages for M. tuberculosis Smears for gonococcus Smears for M. leprae Rat spleen smears for P. pestis Urine (Routine, chemical & microscopic) Friedman test Bacteriological examination of milk and foods ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	703 35 4,037 708 213 91 3,893 741 77 1,214 2,437 837	2,829 28 114 58 7,846 — 1,108	$ \begin{array}{c}                                     $	703 35 11,013 736 1.233 149 12,679 11,492 77 2,025 2,437 2,149
Grand Total	63,300	29.364	28,111	120,775

